

Data sheet

VZE-E05


Page 1/4

P/N
110098520067
EAN 4250184120223
2026/09/23
Version: F


Illustrations



Dimensional drawing



Wiring diagram



See enlarged drawings at the end of document

Product specification

Delayed response two-wire time relay with fixed delay time. Compact, waterproof potted modular system. Insensitive to vibrations, free of bounce and wear due to omission of mechanical components. If the operating voltage is applied to the delay circuit in series with the consumer, after the delay time t

Data sheet

VZE-E05

Page 2/4

P/N
110098520067
EAN 4250184120223
2026/09/23
Version: F

Technical Data

Outputs

Continuous Current 0.8 A

Housing

Mounting position any

Climatic Data

Operating

Relative humidity max. 85 % non-condensing

Classifications

ETIM 7.0 EC001439

ETIM 8.0 EC001439

ETIM 9.0 EC001439

ETIM 10.0 EC001439

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.


Data sheet
VZE-E05

Page 3/4


P/N
110098520067
EAN **4250184120223**
2026/09/23
Version: F

Illustrations

Dimensional drawing



Wiring diagram



Illustrations

Function diagram

