

**HDC HQ VRFE LOCK****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

In addition to heavy-duty connectors, RockStar® includes the appropriate accessories for effective, functional and safe system cabling; e.g. coding systems, shield clamps, cover plates and replacement seals

**General ordering data**

|            |                                                   |
|------------|---------------------------------------------------|
| Version    | Heavy-duty connectors, Accessories, Locking lever |
| Order No.  | <a href="#">1415780000</a>                        |
| Type       | HDC HQ VRFE LOCK                                  |
| GTIN (EAN) | 4050118217131                                     |
| Qty.       | 1 pc(s).                                          |

**HDC HQ VRFE LOCK****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Technical data****Dimensions and weights**

|          |        |            |      |
|----------|--------|------------|------|
| Diameter | 6.5 mm | Net weight | 16 g |
|----------|--------|------------|------|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC002943    | ETIM 7.0    | EC002943    |
| ETIM 8.0    | EC002943    | ETIM 9.0    | EC002943    |
| ETIM 10.0   | EC002943    | ECLASS 9.0  | 27-44-02-92 |
| ECLASS 9.1  | 27-44-01-92 | ECLASS 10.0 | 27-44-02-92 |
| ECLASS 11.0 | 27-44-02-92 | ECLASS 12.0 | 27-44-02-92 |
| ECLASS 13.0 | 27-44-02-92 | ECLASS 14.0 | 27-44-02-92 |
| ECLASS 15.0 | 27-44-02-92 |             |             |

**Environmental Product Compliance**

|                        |                             |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC             | No SVHC above 0.1 wt%       |

**Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Downloads**

|            |                                          |
|------------|------------------------------------------|
| Catalogues | <a href="#">Catalogues in PDF-format</a> |
| Brochures  | <a href="#">FL FIELDWIRING EN</a>        |

**HDC HQ VRFE LOCK****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****Cover**

The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection. The HQ version now offers particular protection - the bulkhead housing (cover and metal clamp) can be secured with a padlock.

**General ordering data**

|            |                            |                                                                                                                                             |
|------------|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Type       | HDC HQP DMD 2BO CS         | Version                                                                                                                                     |
| Order No.  | <a href="#">1251660000</a> | HDC enclosures, Size: HQ, Protection degree: IP65 (in plugged condition), Cover for lower part of housing, Side-locking clamp on lower side |
| GTIN (EAN) | 4050118052312              |                                                                                                                                             |
| Qty.       | 1 pc(s).                   |                                                                                                                                             |
| Type       | HDC HQP DOD 2BO CS         | Version                                                                                                                                     |
| Order No.  | <a href="#">1251670000</a> | HDC enclosures, Size: HQ, Protection degree: IP65 (in plugged condition), Cover for lower part of housing, Side-locking clamp on lower side |
| GTIN (EAN) | 4050118052329              |                                                                                                                                             |
| Qty.       | 1 pc(s).                   |                                                                                                                                             |