

SL SET PV NEXT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**General ordering data**

Version	Photovoltaics
Order No.	2729230000
Type	SL SET PV NEXT
GTIN (EAN)	4050118804508
Qty.	1 pc(s).

SL SET PV NEXT**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Dimensions and weights**

Depth	22.9 mm	Depth (inches)	0.902 inch
Height	12.2 mm	Height (inches)	0.48 inch
Width	22.9 mm	Width (inches)	0.902 inch
Net weight	34.7 g		

Classifications

ETIM 6.0	EC000879	ETIM 7.0	EC000879
ETIM 8.0	EC000879	ETIM 9.0	EC000879
ETIM 10.0	EC000879	ECLASS 9.0	27-14-44-21
ECLASS 9.1	27-14-44-21	ECLASS 10.0	27-14-44-21
ECLASS 11.0	27-14-44-21	ECLASS 12.0	27-14-08-07
ECLASS 13.0	27-14-08-07	ECLASS 14.0	27-14-08-07
ECLASS 15.0	27-14-08-07		

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Important note

Product information	This set contains: - 4 Pcs. M25 Multiple sealing inserts 3x Ø7mm - 2 Pcs. M25 Reducing sealing insert 1x Ø16mm - 8 Pcs. Blind pin 28mm x Ø7mm
---------------------	--

Approvals

ROHS	Conform
------	---------

Downloads

Catalogues	Catalogues in PDF-format
------------	--

SL SET PV NEXT

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

