

CXI CCP 2P RD**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Cross-connection for the sockets in the CUBESERIES CRI.

- Versions with red and blue coloured plastic for potential coding

Versions for PUSH IN sockets:

- 8-pin cross connection for A1 and A2 of the coil
- 2-pin jumper to connect to the neighbored sockets
- 2-pin jumper to connect the output channels within one socket

Version for screw sockets:

- 8-pin cross connection to connect to the neighbored sockets

General ordering data

| | |
|------------|-----------------------------|
| Version | CUBESERIES, Cross-connector |
| Order No. | 3052650000 |
| Type | CXI CCP 2P RD |
| GTIN (EAN) | 4099987022477 |
| Qty. | 20 items |

CXI CCP 2P RD

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

ROHS Conform

Dimensions and weights

Net weight 0.75 g

Temperatures

Storage temperature Operating temperature

Environmental Product Compliance

RoHS Compliance Status Compliant without exemption
 REACH SVHC No SVHC above 0.1 wt%

Cross-connection data

| | | | |
|-------------------------------------|---------|-----------------|-------------------------|
| Rated current | 10 A | Insulation | Yes |
| Touch-safe protection | Yes | Colour | red |
| Number of cross-connected terminals | 2 | Number of poles | 2 |
| Type of mounting | Plugged | Version | cannot be cut to length |

Rated data UL

Rated current (UL) 10 A


General data

Version cannot be cut to length Colour red

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 8.0 | EC002586 | ETIM 9.0 | EC002586 |
| ETIM 10.0 | EC002586 | ECLASS 14.0 | 27-37-16-92 |
| ECLASS 15.0 | 27-37-16-92 | | |

Example of use



Miscellaneous

Type code CUBESERIES accessories versions

