
Mounting box

# K0 EK



## K0 EK

**Mounting box**

Productnumber: 97700101
Dimensions: 111 x 71 x 61 mm

Mounting box, suitable as a junction box, screw spacing 83.5 mm (3 9/32 inch) and 100 mm, complies with AFI standard, for installing "American Standard 432", equipment per NEMA Publ. NO.OS 1, combinable, protection class IP30, rated insulation voltage: 400V AC, Halogen free

**for Spelsberg HM-UNI (97929901), magnet and nail installation, membrane for perforation, sealing range M16 - M25, support spar compatible**

# Technical Data

## electrical characteristics

| | |
|---|---|
| Rated insulation voltage AC: | 400 V |
| Type of protection: | IP30 |
| Suitable for: | Concrete construction |
| UL Type Rating: | not specified |

## Colours

| | |
|---|---|
| Cover colour: | other |

## Dimensions

| | |
|---|---|
| Width: | 111 mm |
| Length: | 71 mm |
| Height: | 61 mm |
| Weight: | 0.066 kg |

## Material characteristics

| | |
|---|---|
| Halogen free: | yes |
| Flammability class according with UL94: | HB |
| Glow-wire flammability: | 650 °C (EN 60695-2-11) |

## mechanical properties

| | |
|---|---|
| Type of fastening: | magnet and nail installation |

## Ambient conditions

| | |
|---|---|
| max. relative humidity 25°C: | - % |
| max. relative humidity 40°C: | 50 % |
| Min. ambient temperature: | -25 °C |
| Max. ambient temperature: | 40 °C |
| 24h ambient temperature: | 35 °C |

## Sales Information

| | |
|---|---|
| EAN: | 4013902200061 |
| ETIM Class: | EC002601 |
| Custom tariff number: | 39269097 |
| Minimum order quantity: | 50 |

## Material

| | |
|---|---|
| Base unit material: | Polypropylene |
| Cover material: | Polypropylene |

## Accessories

84000401 - Abox 025/040 KLS-2,5²/4² - Terminal block

97925001 - HFL - IBT Accessories

97929901 - HM-UNI - IBT Accessories

97710001 - K0 VD - sealing plate

97953201 - K0 K15 BL - Blank strip

19599501 - LFR - Stepped drill

97022001 - RVB 20 - Conduit coupling

97022501 - RVB 25 - Conduit coupling

97023201 - RVB 32 - Conduit coupling

97024001 - RVB 40 - Conduit coupling

97810001 - IBT LZA-OE - Hole punch

97811801 - IBT LZA-18 - Hole punch

97812301 - IBT LZA-23 - Hole punch

97881401 - IBT STE-LST/14 - Punch set

97881801 - IBT STE-LST/18 - Punch set

97882301 - IBT STE-LST/23 - Punch set

97883001 - IBT STE-LST/30 - Punch set

97883901 - IBT STE-LST/39 - Punch set

97891401 - IBT STE-LZA/14 - Punch set

97891801 - IBT STE-LZA/18 - Punch set

97892301 - IBT STE-LZA/23 - Punch set

97915501 - WED - Expansion mandrel

97924001 - NAS-AL - IBT Accessories

97924201 - NA-AL - IBT Accessories

97924301 - NA-AL/gl - IBT Accessories

97926001 - ANSW - IBT Accessories

97953601 - STH-ELP - Cartridge insert

97957001 - STH 70 - Support spar

97959001 - STH 90 - Support spar

97960001 - STH 100 - Support spar

97961001 - STH 110 - Support spar

97963001 - STH 130 - Support spar

97964001 - STH 140 - Support spar

97965001 - STH 150 - Support spar

97967001 - STH 170 - Support spar

97969001 - STH 190 - Support spar

97973001 - STH 230 - Support spar

97974001 - STH 240 - Support spar

97979001 - STH 290 - Support spar

## Cable gland

