

# Wall and ceiling surface

[Home](#)>[Indoor lighting](#)>Wall and ceiling surface

## 14 Products

Find individual luminaires  
quickly and easily [Code finder](#)

[Clear filters](#)

Which category would you like  
to search for?

- ☐ DISCOVER
- ☐ BOOST
- ☐ ELEVATE



- Series 
- Colour temperature [K] 
- CRI 
- Optic 
- Distribution of light emission 
- Luminaire lumen output [lm] 
- Luminaire wattage [W] 
- Luminous efficacy [lm/W] 
- Voltage type 
- Colour 
- Finishing 



↑ AZ  
↓ ZA

### FL ROUND+ 333 SM

[Read more FL ROUND+](#)

### FL ROUND+ 555 SM

[Read more FL ROUND+](#)

### FL ROUND+ 777 SM

[Read more FL ROUND+](#)



### FL SQUARE SM


[Read more FL SQUARE](#)

### WL ROUND

[Read more WL](#)

### WL SQUARE

[Read more WL](#)



### WL RECT

[Read more WL](#)

### ELIA CL

[Read more ELIA CL](#)

### SL629+ SM

[Read more SL629+](#)



To maintain the regular updating of our products, PERFORMANCE IN LIGHTING reserves the right to make changes without prior notice. For the most up to date information we always recommend you read the latest version published on the website [www.performanceinlighting.com](http://www.performanceinlighting.com). Delivered luminaire lumen outputs and power consumptions, including losses, are subject to a tolerance of +/- 7%, and unless otherwise stated the values apply to an ambient temperature of 25°C. Terms of warranty are available at <https://www.performanceinlighting.com/qr/company/led-warranty>

- ▶ Light controls ▼
- ▶ Sensors ▼
- ▶ Emergency luminaire ▼
- ▶ IP degree of protection ▼
- ▶ Mechanical impact protection code IK ▼
- ▶ Protection class ▼
- ▶ Electrical connections ▼
- ▶ Min. ambient temperature [°C] ▼
- ▶ Max. ambient temperature [°C] ▼
- ▶ UGR - Unified Glare Rating ▼
- ▶ MOQ ▼



**SL713AB ROUND LED**

[Read more SL713](#)



**SL720+ SM**

[Read more SL720+](#)



**SL630 AB**

[Read more SL630](#)



**RONDA+ LED**

[Read more RONDA+](#)



**FLEXILED SM**

[Read more FLEXILED](#)

Go to LIGHT-PERFORMER®

Newsletter

Since 2023, Performance iN Lighting has been part of the GEWISS Group, within the GEWISS LightZone ecosystem, where we develop integrated lighting solutions that transform complexity into simplicity, supporting professionals and end users in meeting their needs.

Discover more on GEWISS

Indoor lighting  
Outdoor lighting

Office  
Retail  
Healthcare  
Hospitality  
Industry  
Residential  
City Landscape  
Sports  
Transportation

Technical  
Customer Support  
Lighting Technical Solutions  
Bespoken lighting solutions  
Norms and regulations  
LIGHT-PERFORMER®  
dimSMART!®  
SMART  
Design instruments  
Downloads

Who we are  
Warranty  
General sales conditions  
Sustainability at the center of the future  
Governance  
Sales network  
Contact us  
Work with us

 International/English  Downloads

© 2026 Performance in Lighting S.p.A. sole shareholder company | Subject to the direction and coordination of Gewiss S.p.A. | P.Iva: 08517220011 - [Privacy Policy](#) - [Cookie Policy](#) - [Accessibility Statement](#)



To maintain the regular updating of our products, PERFORMANCE iN LIGHTING reserves the right to make changes without prior notice. For the most up to date information we always recommend you read the latest version published on the website [www.performanceinlighting.com](http://www.performanceinlighting.com). Delivered luminaire lumen outputs and power consumptions, including losses, are subject to a tolerance of +/- 7%, and unless otherwise stated the values apply to an ambient temperature of 25°C. Terms of warranty are available at <https://www.performanceinlighting.com/qr/company/led-warranty>