

**HDC 40D TOBU 1PG21G****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

**General ordering data**

|            |                                                                                                                                                                                   |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Version    | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Cable entry from top, Plug housing, Side-locking clamp on lower side, high, Size of cable entries: PG 21 |
| Order No.  | <a href="#">1656630000</a>                                                                                                                                                        |
| Type       | HDC 40D TOBU 1PG21G                                                                                                                                                               |
| GTIN (EAN) | 4008190409647                                                                                                                                                                     |
| Qty.       | 1 pc(s).                                                                                                                                                                          |

## HDC 40D TOBU 1PG21G

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |          |                 |            |
|------------|----------|-----------------|------------|
| Depth      | 93.3 mm  | Depth (inches)  | 3.673 inch |
| Height     | 76 mm    | Height (inches) | 2.992 inch |
| Width      | 57.8 mm  | Width (inches)  | 2.276 inch |
| Net weight | 239.36 g |                 |            |

## Temperatures

|                   |                   |
|-------------------|-------------------|
| Limit temperature | -40 °C ... 125 °C |
|-------------------|-------------------|

## Dimensions

|                      |           |                     |       |
|----------------------|-----------|---------------------|-------|
| Cable entry          | w. thread | Height of housing B | 76 mm |
| Total length housing | 93.3 mm   | Width housing C     | 43 mm |

## General data

|                             |                             |                       |                             |
|-----------------------------|-----------------------------|-----------------------|-----------------------------|
| EMC housings                | No                          | Housing main material | diecast aluminium           |
| Material of locking element | Stainless steel, rust-proof | Protection degree     | IP65 (in plugged condition) |
| Surface finish              | Powder coating              |                       |                             |

## Version

|                              |                                  |                                |                                    |
|------------------------------|----------------------------------|--------------------------------|------------------------------------|
| BG                           | 6                                | Cable entry                    | w. thread                          |
| Clamp version                | Side-locking clamp               | Colour (RAL)                   | RAL 7035                           |
| Design                       | high                             | Design of housing              | Cable entry from top, Plug housing |
| Design of locking system     | Side-locking clamp on lower side | Internal thread                | PG 21                              |
| Number of cable entry on top | 1                                | Number of cable entry sideways | 0                                  |
| Size                         | 6                                | Size of cable entries          | PG 21                              |
| Suitable for ModuPlug®       | Yes                              | Top part/bottom part/lid       | upper part                         |
| Type                         | Plug                             |                                |                                    |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000437    | ETIM 7.0    | EC000437    |
| ETIM 8.0    | EC000437    | ETIM 9.0    | EC000437    |
| ETIM 10.0   | EC000437    | ECLASS 9.0  | 27-44-02-02 |
| ECLASS 9.1  | 27-44-02-02 | ECLASS 10.0 | 27-44-02-02 |
| ECLASS 11.0 | 27-44-02-02 | ECLASS 12.0 | 27-44-02-02 |
| ECLASS 13.0 | 27-44-02-02 | ECLASS 14.0 | 27-44-02-02 |
| ECLASS 15.0 | 27-44-02-02 |             |             |

|                     |                         |
|---------------------|-------------------------|
| Substance           | Acetone                 |
| Chemical resistance | Conditionally resistant |
| Substance           | Drilling oil            |
| Chemical resistance | Resistant               |
| Substance           | Diesel                  |
| Chemical resistance | Resistant               |
| Substance           | Ethyl alcohol           |
| Chemical resistance | Resistant               |

Creation date May 11, 2025 6:56:08 PM CEST

**HDC 40D TOBU 1PG21G****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data**

|                     |                         |
|---------------------|-------------------------|
| Substance           | Transmission oil        |
| Chemical resistance | Resistant               |
| Substance           | Hydraulic oil           |
| Chemical resistance | Resistant               |
| Substance           | Coolant                 |
| Chemical resistance | Resistant               |
| Substance           | Petroleum benzine       |
| Chemical resistance | Resistant               |
| Substance           | Sweat                   |
| Chemical resistance | Resistant               |
| Substance           | Premium gasoline        |
| Chemical resistance | Conditionally resistant |
| Substance           | Water                   |
| Chemical resistance | Resistant               |
| Substance           | UV                      |
| Chemical resistance | Unstable                |
| Substance           | Ozone                   |
| Chemical resistance | Unstable                |

**Environmental Product Compliance**

|                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RoHS Compliance Status | Compliant without exemption                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| REACH SVHC             | No SVHC above 0.1 wt%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Chemical resistance    | de.myview.objectmodel.impl.BlockImpl@36531177 de.myview.objectmodel.impl.BlockImpl@4a142477<br>de.myview.objectmodel.impl.BlockImpl@2d19dd8e de.myview.objectmodel.impl.BlockImpl@416523d5<br>de.myview.objectmodel.impl.BlockImpl@6f134a27 de.myview.objectmodel.impl.BlockImpl@4cfec2e<br>de.myview.objectmodel.impl.BlockImpl@6759a494 de.myview.objectmodel.impl.BlockImpl@fca4821<br>de.myview.objectmodel.impl.BlockImpl@7a7d798d de.myview.objectmodel.impl.BlockImpl@1285470<br>de.myview.objectmodel.impl.BlockImpl@2b7f2dc5 de.myview.objectmodel.impl.BlockImpl@76a9e3cb<br>de.myview.objectmodel.impl.BlockImpl@67094d82 |

**Approvals**

Approvals



|                         |                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Approvals MAMID         | <a href="https://mdcop.weidmueller.com/mediadelivery/rendition/900_319222/-T1z1mm-S800/">https://mdcop.weidmueller.com/mediadelivery/rendition/900_319222/-T1z1mm-S800/</a> <a href="https://mdcop.weidmueller.com/mediadelivery/rendition/900_319230/-T1z1mm-S800/">https://mdcop.weidmueller.com/mediadelivery/rendition/900_319230/-T1z1mm-S800/</a> |
| ROHS                    | Conform                                                                                                                                                                                                                                                                                                                                                 |
| UL File Number Search   | UL Website                                                                                                                                                                                                                                                                                                                                              |
| Certificate No. (cURus) | E92202                                                                                                                                                                                                                                                                                                                                                  |

## HDC 40D TOBU 1PG21G

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Technical data

### Downloads

Approval/Certificate/Document of Conformity

[Manufacturer's declaration](#)

Engineering Data

[CAD data – STEP](#)

Product Change Notification

[20220214 Technical change to HDC housings](#)

[20220214 Technische Änderung bei HDC-Gehäusen](#)

Technical Documentation

[1656630000 HDC\\_40D\\_TOBU\\_1PG21G\\_STP\\_Blatt\\_1.pdf](#)

Catalogues

[Catalogues in PDF-format](#)

Brochures

[FL FIELDWIRING EN](#)


[FL FIELDWIRING EN](#)

## HDC 40D TOBU 1PG21G

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings



## HDC 40D TOBU 1PG21G

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

## Bulkhead housing



The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

## General ordering data

|            |                            |                                                                                                                                                                           |
|------------|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type       | HDC 16B ABU N              | Version                                                                                                                                                                   |
| Order No.  | <a href="#">2488590000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Bulkhead housing, Side-locking clamp on lower side, Standard                                     |
| GTIN (EAN) | 4050118541526              |                                                                                                                                                                           |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                           |
| Type       | HDC 16B ABU                | Version                                                                                                                                                                   |
| Order No.  | <a href="#">1208600000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Bulkhead housing, Side-locking clamp on lower side, Side-locking clamp not replaceable, Standard |
| GTIN (EAN) | 4008190881351              |                                                                                                                                                                           |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                           |

## Base housing



The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

## General ordering data

|            |                            |                                                                                                                                                             |
|------------|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type       | HDC 40D SBU 1PG29G N       | Version                                                                                                                                                     |
| Order No.  | <a href="#">2560770000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: PG 21 |
| GTIN (EAN) | 4050118893595              |                                                                                                                                                             |
| Qty.       | 1 pc(s).                   |                                                                                                                                                             |

## HDC 40D TOBU 1PG21G

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                                                                                                                                                 |
|------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type       | HDC 40D SBU 1M32G N        | Version                                                                                                                                                         |
| Order No.  | <a href="#">2561030000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: PG 21     |
| GTIN (EAN) | 4050118676464              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 16B SBU 1PG21G         | Version                                                                                                                                                         |
| Order No.  | <a href="#">1656720000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, Standard, Size of cable entries: PG 21 |
| GTIN (EAN) | 4008190409739              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 2PG21G         | Version                                                                                                                                                         |
| Order No.  | <a href="#">1656810000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: PG 21     |
| GTIN (EAN) | 4008190409821              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 2M25G          | Version                                                                                                                                                         |
| Order No.  | <a href="#">1787120000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: M 25      |
| GTIN (EAN) | 4032248204465              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 16B SBU 1M25G N        | Version                                                                                                                                                         |
| Order No.  | <a href="#">2560740000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, Standard, Size of cable entries: M 25  |
| GTIN (EAN) | 4050118673234              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 2M25G N        | Version                                                                                                                                                         |
| Order No.  | <a href="#">2561020000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: PG 21     |
| GTIN (EAN) | 4050118676914              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 2PG29G         | Version                                                                                                                                                         |
| Order No.  | <a href="#">1656840000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: PG 29     |
| GTIN (EAN) | 4008190409852              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 2M32G          | Version                                                                                                                                                         |
| Order No.  | <a href="#">1787110000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: M 32      |
| GTIN (EAN) | 4032248204458              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 16B SBU 1PG21G N       | Version                                                                                                                                                         |
| Order No.  | <a href="#">2560940000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, Standard, Size of cable entries: PG 21 |
| GTIN (EAN) | 4050118676716              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 16B SBU 2PG21G N       | Version                                                                                                                                                         |
| Order No.  | <a href="#">2560950000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, Standard, Size of cable entries: PG 21 |
| GTIN (EAN) | 4050118676921              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 2M32G N        | Version                                                                                                                                                         |
| Order No.  | <a href="#">2561040000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: PG 21     |
| GTIN (EAN) | 4050118676457              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 1PG29G         | Version                                                                                                                                                         |
| Order No.  | <a href="#">1656830000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: PG 29     |
| GTIN (EAN) | 4008190409845              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 1M32G          | Version                                                                                                                                                         |
| Order No.  | <a href="#">1902990000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: M 32      |
| GTIN (EAN) | 4032248592968              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |

## HDC 40D TOBU 1PG21G

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Accessories

|            |                            |                                                                                                                                                                 |
|------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type       | HDC 16B SBU 1M25G          | Version                                                                                                                                                         |
| Order No.  | <a href="#">1899980000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, Standard, Size of cable entries: M 25  |
| GTIN (EAN) | 4032248520718              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 40D SBU 1M25G          | Version                                                                                                                                                         |
| Order No.  | <a href="#">1902970000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, high, Size of cable entries: M 25      |
| GTIN (EAN) | 4032248592951              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 16B SBU 2M25G          | Version                                                                                                                                                         |
| Order No.  | <a href="#">1788240000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, Standard, Size of cable entries: M 25  |
| GTIN (EAN) | 4032248205776              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 16B SBU 2PG21G         | Version                                                                                                                                                         |
| Order No.  | <a href="#">1656730000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, Standard, Size of cable entries: PG 21 |
| GTIN (EAN) | 4008190409746              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |
| Type       | HDC 16B SBU 2M25G N        | Version                                                                                                                                                         |
| Order No.  | <a href="#">2560930000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Base housing, Side-locking clamp on lower side, Standard, Size of cable entries: M 25  |
| GTIN (EAN) | 4050118673531              |                                                                                                                                                                 |
| Qty.       | 1 pc(s).                   |                                                                                                                                                                 |

## Cover



The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

## General ordering data

|            |                            |                                                                                                                                                      |
|------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Type       | HDC 16B DMDQ 2QB           | Version                                                                                                                                              |
| Order No.  | <a href="#">1665270000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Cover for upper part of housing, Side-locking clamp on lower side, Standard |
| GTIN (EAN) | 4008190421977              |                                                                                                                                                      |
| Qty.       | 1 pc(s).                   |                                                                                                                                                      |

## HDC 40D TOBU 1PG21G

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

## Coupling hood



The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

## General ordering data

|            |                            |                                                                                                                                    |
|------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Type       | HDC 40D KBU 1M25G N        | Version                                                                                                                            |
| Order No.  | <a href="#">2559890000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Coupling housing, Side-locking clamp on lower side, high, |
| GTIN (EAN) | 4050118676440              | Size of cable entries: PG 29                                                                                                       |
| Qty.       | 1 pc(s).                   |                                                                                                                                    |
| Type       | HDC 40D KBU 1PG29G         | Version                                                                                                                            |
| Order No.  | <a href="#">1967670000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Coupling housing, Side-locking clamp on lower side, high, |
| GTIN (EAN) | 4032248670178              | Size of cable entries: PG 29                                                                                                       |
| Qty.       | 1 pc(s).                   |                                                                                                                                    |
| Type       | HDC 40D KBU 1M32G N        | Version                                                                                                                            |
| Order No.  | <a href="#">2559900000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Coupling housing, Side-locking clamp on lower side, high, |
| GTIN (EAN) | 4050118673265              | Size of cable entries: PG 29                                                                                                       |
| Qty.       | 1 pc(s).                   |                                                                                                                                    |
| Type       | HDC 40D KBU 1M32G          | Version                                                                                                                            |
| Order No.  | <a href="#">1787190000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Coupling housing, Side-locking clamp on lower side, high, |
| GTIN (EAN) | 4032248204533              | Size of cable entries: M 32                                                                                                        |
| Qty.       | 1 pc(s).                   |                                                                                                                                    |
| Type       | HDC 16B KBU 1PG21G         | Version                                                                                                                            |
| Order No.  | <a href="#">1657270000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Coupling housing, Side-locking clamp on lower side,       |
| GTIN (EAN) | 4008190410322              | Standard, Size of cable entries: PG 21                                                                                             |
| Qty.       | 1 pc(s).                   |                                                                                                                                    |
| Type       | HDC 40D KBU 1PG21G         | Version                                                                                                                            |
| Order No.  | <a href="#">1657310000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Coupling housing, Side-locking clamp on lower side, high, |
| GTIN (EAN) | 4008190410360              | Size of cable entries: PG 21                                                                                                       |
| Qty.       | 1 pc(s).                   |                                                                                                                                    |
| Type       | HDC 40D KBU 2M32G N        | Version                                                                                                                            |
| Order No.  | <a href="#">2545510000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Coupling housing, Side-locking clamp on lower side, high, |
| GTIN (EAN) | 4050118558333              | Size of cable entries: PG 29                                                                                                       |
| Qty.       | 1 pc(s).                   |                                                                                                                                    |
| Type       | HDC 40D KBU 1M25G          | Version                                                                                                                            |
| Order No.  | <a href="#">1787200000</a> | HDC enclosures, Size: 6, Protection degree: IP65 (in plugged condition), Coupling housing, Side-locking clamp on lower side, high, |
| GTIN (EAN) | 4032248204540              | Size of cable entries: M 25                                                                                                        |
| Qty.       | 1 pc(s).                   |                                                                                                                                    |