Ceiling luminaire junction box

U 71 DAD



U 71 DAD

Ceiling luminaire junction box

Productnumber: 97154801
Dimensions: 71 x 71 x 106 mm

Ceiling luminaire junction box, combinable, 35 mm outlet, 2-part, suitable for opposing formwork, 89 mm high, rearward dome with M5 threaded bushing (load capacity 10 kg) to accomodate a ceiling hook, protection class IP30, rated insulation voltage: 400V AC, Halogen free, Number of 45° insertions: 4

adhesive fixing or nail installation, membrane for perforation, sealing range M16 - M25, support spar compatible



Created at 04.06.2026. All statements without guarantee. We reserve the right to make improvements to technical progress.
Günther Spelsberg GmbH + Co. KG
Im Gewerbepark 1 · D-58579 Schalksmühle · Telefon: +49 (0) 23 55 / 892-0 · Telefax: +49 (0) 23 55 / 892-299

Technical Data

electrical characteristics

Rated insulation voltage AC:	400 V
Type of protection:	IP30
Suitable for:	Concrete construction
UL Type Rating:	not specified

Colours

Cover colour:	other

Dimensions

Width:	71 mm
Length:	71 mm
Height:	106 mm
Weight:	0.043 kg

Material characteristics

Halogen free:	yes
Flammability class according with UL94:	HB
Glow-wire flammability:	650 °C (EN 60695-2-11)

mechanical properties

Type of fastening:	adhesive fixing or nail installation

Ambient conditions

max. relative humidity 25°C:	- %
max. relative humidity 40°C:	50 %
Min. ambient temperature:	-25 °C
Max. ambient temperature:	40 °C
24h ambient temperature:	35 °C

Sales Information

EAN:	4013902879274
ETIM Class:	EC002601
Custom tariff number:	39269097
Minimum order quantity:	100

Material

Base unit material:	Polypropylene
Cover material:	Polypropylene

Accessories

97056201 - WAD VD - sealing plate

97912201 - DH 90-M5 - ceiling hook

97911901 - DH 100-M5 - ceiling hook

19599501 - LFR - Stepped drill

92510101 - HW VD-60 - sealing plate

97022001 - RVB 20 - Conduit coupling

97022501 - RVB 25 - Conduit coupling

97023201 - RVB 32 - Conduit coupling

97024001 - RVB 40 - Conduit coupling

97174801 - U 71 KP-M5 - Dome

97810001 - IBT LZA-OE - Hole punch

97811801 - IBT LZA-18 - Hole punch

97812301 - IBT LZA-23 - Hole punch

97881401 - IBT STE-LST/14 - Punch set

97881801 - IBT STE-LST/18 - Punch set

97882301 - IBT STE-LST/23 - Punch set

97883001 - IBT STE-LST/30 - Punch set

97883901 - IBT STE-LST/39 - Punch set

97891401 - IBT STE-LZA/14 - Punch set

97891801 - IBT STE-LZA/18 - Punch set

97892301 - IBT STE-LZA/23 - Punch set

97910201 - U 71 VDF - sealing plate

97910401 - U 71 VDS - sealing plate

97910501 - ES-10 - Installation screw

97910601 - ES-18 - Installation screw

97910701 - ES-25 - Installation screw

97911001 - GWB - Thread bottom

97915501 - WED - Expansion mandrel

97921001 - VBN - Compound nipple

97921201 - VB 71 - IBT Accessories

97921301 - VB 80/85 - IBT Accessories

97921401 - VB 90 - IBT Accessories

97921501 - VB 105 - IBT Accessories

97924001 - NAS-AL - IBT Accessories

97924201 - NA-AL - IBT Accessories

97924301 - NA-AL/gl - IBT Accessories

97926001 - ANSW - IBT Accessories

97953001 - U 71 BSK-NA - blank base

97953002 - U 71 BSK-2 - blank base

97953601 - STH-ELP - Cartridge insert

97953801 - U 71 BSK-K - blank base

97953901 - U 71 BSK - blank base

97957001 - STH 70 - Support spar

97959001 - STH 90 - Support spar

97960001 - STH 100 - Support spar

97961001 - STH 110 - Support spar

97963001 - STH 130 - Support spar

97964001 - STH 140 - Support spar

97965001 - STH 150 - Support spar

97967001 - STH 170 - Support spar

97969001 - STH 190 - Support spar

97973001 - STH 230 - Support spar

97974001 - STH 240 - Support spar

97979001 - STH 290 - Support spar

Cable gland

