

# Data sheet

## SAR 4



Page 1/3

P/N  
130283-I  
EAN 4250184101703  
2026/09/28  
Version: F

## Illustrations

Dimensional drawing

Circuit diagram



See enlarged drawings at the end of document

## Product specification

The SAR4 and SAR5 can be connected to a telecommunications access line or separate control voltage source (AC/DC) and are activated by the call voltage or control voltage. The SAR reacts either only to the call voltage or to the control voltage. It activates an external signal emitter with its own or separate power supply (e.g. bell, horn, or lamp).



# Data sheet

## SAR 4

Page 2/3

P/N  
130283-I  
EAN 4250184101703  
2026/09/28  
Version: F

### Technical Data

#### Material

Color light gray

#### Climatic Data

##### Operating

Relative humidity max. 85 % non-condensing

#### Classifications

ETIM 7.0 EC000373

ETIM 8.0 EC000373

ETIM 9.0 EC000373

ETIM 10.0 EC000373

#### Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.


**Data sheet**  
**SAR 4**

Page 3/3

P/N  
130283-I  
EAN 4250184101703  
2026/09/28  
Version: F

**Illustrations**

Dimensional drawing



Circuit diagram

