

Suspended

[Home](#)>[Indoor lighting](#)>Suspended

Lightweight design and advanced LED technology for customised lighting

Performance iN Lighting suspended lighting fixtures combine a clean and contemporary aesthetic with high efficiency. Made with quality materials and available in different RAL colour variants, such as grey, black, white are available in glossy or textured finishes and guarantee homogeneous and comfortable light thanks to optimal colour rendering.



Read more



Find individual luminaires

quickly and easily [Code finder](#)

[Clear filters](#)

Which category would you like to search for?



DISCOVER



BOOST



14 Products



FL ROUND+ 333 PL

[Read more FL ROUND+](#)



FL ROUND+ 555 PL

[Read more FL ROUND+](#)



↑ AZ
↓ ZA



FL ROUND+ 777 PL

[Read more FL ROUND+](#)



ELEVATE

- Series 
- Colour temperature [K] 
- CRI 
- Optic 
- Distribution of light emission 
- Luminaire lumen output [lm] 
- Luminaire wattage [W] 
- Luminous efficacy [lm/W] 
- Voltage type 
- Colour 
- Finishing 
- Light controls 
- Sensors 
- Emergency luminaire 
- IP degree of protection 
- Mechanical impact protection code IK 
- Protection class 
- Electrical connections 
- Min. ambient temperature [°C] 
- Max. ambient temperature [°C] 
- UGR - Unified Glare Rating 
- MOQ 



LIQUID PL
[Read more LIQUID](#)



FL SQUARE PL
[Read more FL SQUARE](#)



MERCURY PL
[Read more MERCURY](#)



IN-TENSE PL
[Read more IN-TENSE](#)



SMALL LINE PL
[Read more SMALL LINE](#)



SL629+ PL
[Read more SL629+](#)



SL629+ CP
[Read more SL629+](#)



SL713+ PL
[Read more SL713](#)



SL713PL ROUND LED
[Read more SL713](#)



SL720+ PL
[Read more SL720+](#)



FLEXILED PL
[Read more FLEXILED](#)


Go to **LIGHT-PERFORMER®**

Newsletter

To maintain the regular updating of our products, PERFORMANCE iN LIGHTING reserves the right to make changes without prior notice. For the most up to date information we always recommend you read the latest version published on the website www.performanceinlighting.com. Delivered luminaire lumen outputs and power consumptions, including losses, are subject to a tolerance of +/- 7%, and unless otherwise stated the values apply to an ambient temperature of 25°C. Terms of warranty are available at <https://www.performanceinlighting.com/qr/company/led-warranty>

For information:
PERFORMANCE iN LIGHTING S.p.A. Headquarters - Italy
Viale del Lavoro 9/11
37030 Colognola ai Colli Verona - Italy
Tel. +39 045 61 59 211

info.it@pil.lighting
www.performanceinlighting.com



GEWISS LightZone

Since 2023, Performance iN Lighting has been part of the GEWISS Group, within the GEWISS LightZone ecosystem, where we develop integrated lighting solutions that transform complexity into simplicity, supporting professionals and end users in meeting their needs.

Discover more on GEWISS

Products

Indoor lighting
Outdoor lighting

Projects

Office
Retail
Healthcare
Hospitality
Industry
Residential
City Landscape
Sports
Transportation

Service & Downloads

Technical Customer Support
Lighting Technical Solutions
Bespoken lighting solutions
Norms and regulations
LIGHT-PERFORMER®
dimSMART!®
SMART
Design instruments
Downloads

Company

Who we are
Warranty
General sales conditions
Sustainability at the center of the future
Governance
Sales network
Contact us
Work with us