

**TS35X15 ST KTB4848 VER****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Similar to illustration**

Similar to illustration

**General ordering data**

|            |                                                                                                  |
|------------|--------------------------------------------------------------------------------------------------|
| Version    | Rail, TS 35, TS 35 x 15, Width: 425 mm, without slot, Steel, galvanic zinc plated and passivated |
| Order No.  | <a href="#">8000073120</a>                                                                       |
| Type       | TS35X15 ST KTB4848 VER                                                                           |
| GTIN (EAN) | 4064675340768                                                                                    |
| Qty.       | 20 pc(s).                                                                                        |

## TS35X15 ST KTB4848 VER

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |        |                 |             |
|------------|--------|-----------------|-------------|
| Depth      | 15 mm  | Depth (inches)  | 0.591 inch  |
| Height     | 35 mm  | Height (inches) | 1.378 inch  |
| Width      | 425 mm | Width (inches)  | 16.732 inch |
| Net weight | 14.6 g |                 |             |

## General information

|                     |                 |                    |                                     |
|---------------------|-----------------|--------------------|-------------------------------------|
| Installation advice | Direct mounting | Integral fixing    | Screwed                             |
| Material            | Steel           | Material thickness | 1.5 mm                              |
| Standards           | DIN EN 60715    | Surface finish     | galvanic zinc plated and passivated |

## General information on accessories

|                |                                     |                    |        |
|----------------|-------------------------------------|--------------------|--------|
| Material       | Steel                               | Material thickness | 1.5 mm |
| Surface finish | galvanic zinc plated and passivated |                    |        |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001285    | ETIM 7.0    | EC001285    |
| ETIM 8.0    | EC001285    | ETIM 9.0    | EC001285    |
| ETIM 10.0   | EC001285    | ECLASS 9.0  | 27-40-06-02 |
| ECLASS 9.1  | 27-40-06-02 | ECLASS 10.0 | 27-40-06-02 |
| ECLASS 11.0 | 27-40-06-02 | ECLASS 12.0 | 27-40-06-02 |
| ECLASS 13.0 | 27-40-06-02 | ECLASS 14.0 | 27-40-06-02 |
| ECLASS 15.0 | 27-40-06-02 |             |             |

## Environmental Product Compliance

|                        |                             |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC             | No SVHC above 0.1 wt%       |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                  |                                          |
|------------------|------------------------------------------|
| Engineering Data | <a href="#">CAD data – STEP</a>          |
| Catalogues       | <a href="#">Catalogues in PDF-format</a> |

**TS35X15 ST KTB4848 VER****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****Mounting plates**

Mounting plates, with and without hole patterns, for longitudinal and transverse mounting of DIN mounting rails or components directly onto the mounting plate.

**General ordering data**

|            |                            |                                                                     |
|------------|----------------------------|---------------------------------------------------------------------|
| Type       | GFSC M5X10 TX20 SET        | Version                                                             |
| Order No.  | <a href="#">1274150000</a> | Klippon EB (Essential Box), Mounting screw, Height: 13.3 mm, Width: |
| GTIN (EAN) | 4050118063820              | 8.5 mm, Depth: 8.5 mm, Material: Steel, galvanized, galvanic zinc   |
| Qty.       | 1 pc(s).                   | plated and passivated, silver                                       |