

Suspended

[Home](#)>[Indoor lighting](#)>Suspended

Lightweight design and advanced LED technology for customised lighting

Performance iN Lighting suspended lighting fixtures combine a clean and contemporary aesthetic with high efficiency. Made with quality materials and available in different RAL colour variants, such as grey, black, white are available in glossy or textured finishes and guarantee homogeneous and comfortable light thanks to optimal colour rendering.

►
Read more
+

Find individual luminaires
quickly and easily [Code finder](#)

[Clear filters](#)

Which category would you like
to search for?

☐ DISCOVER
☐ BOOST



14 Products



FL ROUND+ 333 PL
[Read more FL ROUND+](#)



FL ROUND+ 555 PL
[Read more FL ROUND+](#)



↑ AZ
↓ ZA



FL ROUND+ 777 PL
[Read more FL ROUND+](#)



To maintain the regular updating of our products, PERFORMANCE iN LIGHTING reserves the right to make changes without prior notice. For the most up to date information we always recommend you read the latest version published on the website www.performanceinlighting.com. Delivered luminaire lumen outputs and power consumptions, including losses, are subject to a tolerance of +/- 7%, and unless otherwise stated the values apply to an ambient temperature of 25°C. Terms of warranty are available at <https://www.performanceinlighting.com/qr/company/led-warranty>

ELEVATE

- Series 
- Colour temperature [K] 
- CRI 
- Optic 
- Distribution of light emission 
- Luminaire lumen output [lm] 
- Luminaire wattage [W] 
- Luminous efficacy [lm/W] 
- Voltage type 
- Colour 
- Finishing 
- Light controls 
- Sensors 
- Emergency luminaire 
- IP degree of protection 
- Mechanical impact protection code IK 
- Protection class 
- Electrical connections 
- Min. ambient temperature [°C] 
- Max. ambient temperature [°C] 
- UGR - Unified Glare Rating 
- MOQ 



LIQUID PL
[Read more LIQUID](#)



FL SQUARE PL
[Read more FL SQUARE](#)



MERCURY PL
[Read more MERCURY](#)



IN-TENSE PL
[Read more IN-TENSE](#)



SMALL LINE PL
[Read more SMALL LINE](#)



SL629+ PL
[Read more SL629+](#)



SL629+ CP
[Read more SL629+](#)



SL713+ PL
[Read more SL713](#)



SL713PL ROUND LED
[Read more SL713](#)



SL720+ PL
[Read more SL720+](#)



FLEXILED PL
[Read more FLEXILED](#)


Go to **LIGHT-PERFORMER®**

Newsletter

To maintain the regular updating of our products, PERFORMANCE iN LIGHTING reserves the right to make changes without prior notice. For the most up to date information we always recommend you read the latest version published on the website www.performanceinlighting.com. Delivered luminaire lumen outputs and power consumptions, including losses, are subject to a tolerance of +/- 7%, and unless otherwise stated the values apply to an ambient temperature of 25°C. Terms of warranty are available at <https://www.performanceinlighting.com/qr/company/led-warranty>

For information:
PERFORMANCE iN LIGHTING S.p.A. Headquarters - Italy
Viale del Lavoro 9/11
37030 Colognola ai Colli Verona - Italy
Tel. +39 045 61 59 211

info.it@pil.lighting
www.performanceinlighting.com



GEWISS LightZone

Since 2023, Performance iN Lighting has been part of the GEWISS Group, within the GEWISS LightZone ecosystem, where we develop integrated lighting solutions that transform complexity into simplicity, supporting professionals and end users in meeting their needs.

Discover more on GEWISS

Products

- Indoor lighting
- Outdoor lighting

Projects

- Office
- Retail
- Healthcare
- Hospitality
- Industry
- Residential
- City Landscape
- Sports
- Transportation

Service & Downloads

- Technical Customer Support
- Lighting Technical Solutions
- Bespoken lighting solutions
- Norms and regulations
- LIGHT-PERFORMER®
- dimSMART!®
- SMART
- Design instruments
- Downloads

Company

- Who we are
- Warranty
- General sales conditions
- Sustainability at the center of the future
- Governance
- Sales network
- Contact us
- Work with us