

**PZ PK 10/120****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Crimping tools for tubular and compression cable lugs with swivel crimping star.

- Integrated crimping star for different cross-sections
- Hexagon crimping tools for compression cable lugs
- WM-From crimping tools for tubular cable lugs
- wide processing range up to 70 or 120 mm<sup>2</sup>

**General ordering data**

Version	10mm <sup>2</sup> , 120mm <sup>2</sup> , Hexagonal crimp
Order No.	<a href="#">1500480000</a>
Type	PZ PK 10/120
GTIN (EAN)	4050118309089
Qty.	1 items

**Technical data**

**Dimensions and weights**

Depth	660 mm	Depth (inches)	25.9842 inch
Net weight	3800 g		

**Environmental Product Compliance**

RoHS Compliance Status	Not affected
REACH SVHC	Lead 7439-92-1
SCIP	2159813b-98fd-4068-b62a-bc89a046c012

**Technical data**

Version	Mechanical, without interchangeable inserts
---------	---

**Crimp inserts**

Crimping width	5 mm	Crimp cross-section aluminium	10 ... 70 mm <sup>2</sup>
----------------	------	-------------------------------	---------------------------

**Description of contact**

Crimping range, max.	120 mm <sup>2</sup>	Crimping range, min.	10 mm <sup>2</sup>
----------------------	---------------------	----------------------	--------------------

**tool data crimping**

Wire end ferrules cross-section, max.	120 mm <sup>2</sup>	Wire end ferrules cross-section, min.	10 mm <sup>2</sup>
Crimping type/profile	Hexagonal crimp		

**Classifications**

ETIM 8.0	EC000168	ETIM 9.0	EC000168
ETIM 10.0	EC000168	ECLASS 14.0	21-04-38-11
ECLASS 15.0	21-04-38-11		

## Accessories

10 mm<sup>2</sup>10 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M5/-10	Version
Order No.	<a href="#">1497870000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307252	
Qty.	100 ST	
Type	KP-M6/-10	Version
Order No.	<a href="#">1497880000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307283	
Qty.	100 ST	
Type	KP-M8/-10	Version
Order No.	<a href="#">1497890000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307573	
Qty.	100 ST	
Type	KP-M10/-10	Version
Order No.	<a href="#">1497910000</a>	cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307276	
Qty.	100 ST	

16 mm<sup>2</sup>16 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M5/-16	Version
Order No.	<a href="#">1497920000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307542	
Qty.	100 ST	
Type	KP-M6/-16	Version
Order No.	<a href="#">1497930000</a>	cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307290	
Qty.	100 ST	

## PZ PK 10/120

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KP-M8/-16	Version
Order No.	<a href="#">1497940000</a>	cable lug, terminal end,16 mm²
GTIN (EAN)	4050118307269	
Qty.	100 ST	
Type	KP-M10/-16	Version
Order No.	<a href="#">1497950000</a>	cable lug, terminal end,16 mm²
GTIN (EAN)	4050118307450	
Qty.	100 ST	
Type	KP-M12/-16	Version
Order No.	<a href="#">1497960000</a>	cable lug, terminal end,16 mm²
GTIN (EAN)	4050118307436	
Qty.	100 ST	

## 25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M6/-25	Version
Order No.	<a href="#">1497970000</a>	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307412	
Qty.	100 ST	
Type	KP-M8/-25	Version
Order No.	<a href="#">1497980000</a>	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307528	
Qty.	100 ST	
Type	KP-M10/-25	Version
Order No.	<a href="#">1497990000</a>	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307535	
Qty.	100 ST	
Type	KP-M12/-25	Version
Order No.	<a href="#">1498000000</a>	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307504	
Qty.	100 ST	
Type	KP-M16/-25	Version
Order No.	<a href="#">1498010000</a>	cable lug, terminal end,25 mm²
GTIN (EAN)	4050118307443	
Qty.	100 ST	

## Accessories

35 mm<sup>2</sup>35 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M6/-35	Version	
Order No.	<a href="#">1498020000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118307313		
Qty.	100 ST		
Type	KP-M8/-35	Version	
Order No.	<a href="#">1498030000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118307511		
Qty.	100 ST		
Type	KP-M10/-35	Version	
Order No.	<a href="#">1498040000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118307337		
Qty.	100 ST		
Type	KP-M12/35	Version	
Order No.	<a href="#">1498050000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118307320		
Qty.	100 ST		
Type	KP-M16/-35	Version	
Order No.	<a href="#">1498060000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118307382		
Qty.	100 ST		

50 mm<sup>2</sup>50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231


## General ordering data

Type	KP-M6/-50	Version	
Order No.	<a href="#">1498510000</a>		cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118308006		
Qty.	100 ST		

## Accessories

Type	KP-M8/-50	Version
Order No.	<a href="#">1498070000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307566	
Qty.	100 ST	
Type	KP-M10/-50	Version
Order No.	<a href="#">1498080000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307559	
Qty.	100 ST	
Type	KP-M12/-50	Version
Order No.	<a href="#">1498090000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307375	
Qty.	100 ST	
Type	KP-M14/-50	Version
Order No.	<a href="#">1498570000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118308105	
Qty.	100 ST	
Type	KP-M16/-50	Version
Order No.	<a href="#">1498110000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307474	
Qty.	100 ST	
Type	KP-M20/-50	Version
Order No.	<a href="#">1498120000</a>	cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307597	
Qty.	100 ST	

## 70 mm<sup>2</sup>



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KP-M8/-70	Version
Order No.	<a href="#">1498130000</a>	cable lug, terminal end,70 mm <sup>2</sup>
GTIN (EAN)	4050118307351	
Qty.	50 ST	
Type	KP-M10/-70	Version
Order No.	<a href="#">1498140000</a>	cable lug, terminal end,70 mm <sup>2</sup>
GTIN (EAN)	4050118307429	
Qty.	50 ST	
Type	KP-M12/-70	Version
Order No.	<a href="#">1498150000</a>	cable lug, terminal end,70 mm <sup>2</sup>
GTIN (EAN)	4050118307467	
Qty.	50 ST	

## PZ PK 10/120


**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KP-M14/-70	Version
Order No.	<a href="#">1498560000</a>	cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307696	
Qty.	50 ST	
Type	KP-M16/-70	Version
Order No.	<a href="#">1498160000</a>	cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307481	
Qty.	50 ST	
Type	KP-M20/-70	Version
Order No.	<a href="#">1498170000</a>	cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307344	
Qty.	50 ST	

## 95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KP-M8/-95	Version
Order No.	<a href="#">1498180000</a>	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307498	
Qty.	50 ST	
Type	KP-M10/-95	Version
Order No.	<a href="#">1498190000</a>	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307603	
Qty.	50 ST	
Type	KP-M12/-95	Version
Order No.	<a href="#">1498210000</a>	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307610	
Qty.	50 ST	
Type	KP-M14/-95	Version
Order No.	<a href="#">1498520000</a>	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307863	
Qty.	50 ST	
Type	KP-M16/-95	Version
Order No.	<a href="#">1498220000</a>	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307719	
Qty.	50 ST	
Type	KP-M20/-95	Version
Order No.	<a href="#">1498230000</a>	cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307634	
Qty.	50 ST	

## Accessories

120 mm<sup>2</sup>120 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	KP-M8/-120	Version
Order No.	<a href="#">1498480000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307900	
Qty.	50 ST	
Type	KP-M10/-120	Version
Order No.	<a href="#">1498240000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307368	
Qty.	50 ST	
Type	KP-M12/-120	Version
Order No.	<a href="#">1498250000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307627	
Qty.	50 ST	
Type	KP-M14/-120	Version
Order No.	<a href="#">1498490000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307771	
Qty.	50 ST	
Type	KP-M16/-120	Version
Order No.	<a href="#">1498270000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307580	
Qty.	50 ST	
Type	KP-M20/-120	Version
Order No.	<a href="#">1498280000</a>	cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307702	
Qty.	50 ST	

10 mm<sup>2</sup>10 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## Accessories

### General ordering data

Type	KWPN-M6/-10 90	Version	
Order No.	<a href="#">1497420000</a>		cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118307023		
Qty.	100 ST		
Type	KWPN-M8/-10 90	Version	
Order No.	<a href="#">1497430000</a>		cable lug, terminal end, 10 mm <sup>2</sup>
GTIN (EAN)	4050118306927		
Qty.	100 ST		

### 16 mm<sup>2</sup>



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KWPN-M6/-16 90	Version	
Order No.	<a href="#">1497440000</a>		cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306644		
Qty.	100 ST		
Type	KWPN-M8/-16 90	Version	
Order No.	<a href="#">1497450000</a>		cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306873		
Qty.	100 ST		
Type	KWPN-M10/-16 90	Version	
Order No.	<a href="#">1497470000</a>		cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118307016		
Qty.	100 ST		
Type	KWPN-M12/-16 90	Version	
Order No.	<a href="#">1497480000</a>		cable lug, terminal end, 16 mm <sup>2</sup>
GTIN (EAN)	4050118306866		
Qty.	100 ST		

### 25 mm<sup>2</sup>



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## Accessories

### General ordering data

Type	KWPN-M6/-25 90	Version	
Order No.	<a href="#">1497490000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118306668		
Qty.	100 ST		
Type	KWPN-M8/-25 90	Version	
Order No.	<a href="#">1497510000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118306972		
Qty.	100 ST		
Type	KWPN-M10/-25 90	Version	
Order No.	<a href="#">1497520000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118306989		
Qty.	100 ST		
Type	KWPN-M12/-25 90	Version	
Order No.	<a href="#">1497530000</a>		cable lug, terminal end,25 mm <sup>2</sup>
GTIN (EAN)	4050118307108		
Qty.	100 ST		

### 35 mm<sup>2</sup>



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	KWPN-M6/-35 90	Version	
Order No.	<a href="#">1497540000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118306996		
Qty.	100 ST		
Type	KWPN-M8/-35 90	Version	
Order No.	<a href="#">1497550000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118307146		
Qty.	100 ST		
Type	KWPN-M10/-35 90	Version	
Order No.	<a href="#">1497570000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118307153		
Qty.	100 ST		
Type	KWPN-M12/-35 90	Version	
Order No.	<a href="#">1497580000</a>		cable lug, terminal end,35 mm <sup>2</sup>
GTIN (EAN)	4050118306682		
Qty.	100 ST		

## Accessories

### 50 mm<sup>2</sup>



# 50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

#### General ordering data

Type	KWPN-M8/-50 90	Version	
Order No.	<a href="#">1497590000</a>		cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118306699		
Qty.	100 ST		
Type	KWPN-M10/-50 90	Version	
Order No.	<a href="#">1497610000</a>		cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307078		
Qty.	100 ST		
Type	KWPN-M12/-50 90	Version	
Order No.	<a href="#">1497620000</a>		cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118306675		
Qty.	100 ST		
Type	KWPN-M16/-50 90	Version	
Order No.	<a href="#">1497630000</a>		cable lug, terminal end,50 mm <sup>2</sup>
GTIN (EAN)	4050118307115		
Qty.	100 ST		

### 70 mm<sup>2</sup>



# 70 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

#### General ordering data

Type	KWPN-M8/-70 90	Version	
Order No.	<a href="#">1497640000</a>		cable lug, terminal end,70 mm <sup>2</sup>
GTIN (EAN)	4050118307047		
Qty.	25 ST		
Type	KWPN-M10/-70 90	Version	
Order No.	<a href="#">1497650000</a>		cable lug, terminal end,70 mm <sup>2</sup>
GTIN (EAN)	4050118307177		
Qty.	25 ST		

## PZ PK 10/120

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Accessories

Type	KWPN-M12/-70 90	Version	
Order No.	<a href="#">1497660000</a>		cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307092		
Qty.	25 ST		
Type	KWPN-M16/-70 90	Version	
Order No.	<a href="#">1497680000</a>		cable lug, terminal end,70 mm²
GTIN (EAN)	4050118307122		
Qty.	25 ST		

### 95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

#### General ordering data

Type	KWPN-M8/-95 90	Version	
Order No.	<a href="#">1497690000</a>		cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307207		
Qty.	25 ST		
Type	KWPN-M10/-95 90	Version	
Order No.	<a href="#">1497710000</a>		cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307139		
Qty.	25 ST		
Type	KWPN-M12/-95 90	Version	
Order No.	<a href="#">1497720000</a>		cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307214		
Qty.	25 ST		
Type	KWPN-M16/-95 90	Version	
Order No.	<a href="#">1497730000</a>		cable lug, terminal end,95 mm²
GTIN (EAN)	4050118307054		
Qty.	25 ST		

### 120 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## Accessories

[www.weidmueller.com](http://www.weidmueller.com)

### General ordering data

Type	KWPN-M10/-120 90	Version	
Order No.	<a href="#">1497750000</a>		cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307061		
Qty.	25 ST		
Type	KWPN-M12/-120 90	Version	
Order No.	<a href="#">1497760000</a>		cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307184		
Qty.	25 ST		
Type	KWPN-M16/120 90	Version	
Order No.	<a href="#">1497770000</a>		cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307030		
Qty.	25 ST		
Type	KWPN-M20/-120 90	Version	
Order No.	<a href="#">1497780000</a>		cable lug, terminal end, 120 mm <sup>2</sup>
GTIN (EAN)	4050118307191		
Qty.	25 ST		

### 10 mm<sup>2</sup>



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

### General ordering data

Type	VPN/-10	Version	
Order No.	<a href="#">1498620000</a>		cable lug, terminal end, 10 mm <sup>2</sup> , 10 mm <sup>2</sup> , None
GTIN (EAN)	4050118308136		
Qty.	100 ST		

### 16 mm<sup>2</sup>



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**Accessories**

**General ordering data**

Type	VPN/-16	Version	
Order No.	<a href="#">1498630000</a>		cable lug, terminal end,16 mm <sup>2</sup> ,16 mm <sup>2</sup> ,None
GTIN (EAN)	4050118307856		
Qty.	100 ST		

**25 mm<sup>2</sup>**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPN/-25	Version	
Order No.	<a href="#">1498640000</a>		cable lug, terminal end,25 mm <sup>2</sup> ,25 mm <sup>2</sup> ,None
GTIN (EAN)	4050118308013		
Qty.	100 ST		

**35 mm<sup>2</sup>**



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPN/-35	Version	
Order No.	<a href="#">1498650000</a>		cable lug, terminal end,35 mm <sup>2</sup> ,35 mm <sup>2</sup> ,None
GTIN (EAN)	4050118308143		
Qty.	100 ST		

## Accessories

50 mm<sup>2</sup>50 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-50	Version	
Order No.	<a href="#">1498660000</a>	Version	cable lug, terminal end,50 mm <sup>2</sup> ,50 mm <sup>2</sup> ,None
GTIN (EAN)	4050118307948		
Qty.	50 ST		

70 mm<sup>2</sup>70 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-70	Version	
Order No.	<a href="#">1498670000</a>	Version	cable lug, terminal end,70 mm <sup>2</sup> ,70 mm <sup>2</sup> ,None
GTIN (EAN)	4050118308020		
Qty.	50 ST		

95 mm<sup>2</sup>95 mm<sup>2</sup>

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

## General ordering data

Type	VPN/-95	Version	
Order No.	<a href="#">1498680000</a>	Version	cable lug, terminal end,95 mm <sup>2</sup> ,95 mm <sup>2</sup> ,None
GTIN (EAN)	4050118307917		
Qty.	50 ST		

**Accessories****120 mm<sup>2</sup>****120 mm<sup>2</sup>**

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

**General ordering data**

Type	VPN/-120	Version	
Order No.	<a href="#">1498690000</a>		cable lug, terminal end, 120 mm <sup>2</sup> , 120 mm <sup>2</sup> , None
GTIN (EAN)	4050118307795		
Qty.	25 ST		