

Data sheet

Connecting bridge, 5 pole

Page 1/5

P/N


850349-03

EAN 4250184119296


2026/09/23

Version: F

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

The connecting bridge easily connects the terminal blocks of the 14-pole Industry sockets 110175 and 110178, without having to wire them individually. The connecting bridge has 5 poles and is available with grid dimension 28.1 mm. The end mounts completely insulate the comb-type back to provide finger protection.

- Mechanically polished surface
- flame retardant, self-extinguishing to UL 94V-2



Data sheet

Connecting bridge, 5 pole

Page 2/5

P/N
850349-03
EAN 4250184119296
2026/09/23
Version: F

Technical Data

Outputs

Continuous Current 2 A

Material

Color black

Climatic Data

Operating

Relative humidity max. 85 % non-condensing

Classifications

ETIM 7.0 EC002586

ETIM 8.0 EC002586

ETIM 9.0 EC002586

ETIM 10.0 EC002586

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.

Data sheet
Connecting bridge, 5 pole

Page 3/5

P/N

850349-03

EAN 4250184119296

2026/09/23

Version: F

Accessories

P/N	Designation
820165-2	End Mount



Data sheet

Page 4/5

Connecting bridge, 5 pole

P/N

850349-03

EAN 4250184119296

2026/09/23

Version: F

Accessories from

P/N	Designation
110175	Socket 14 poles
110178	Socket 14 poles for electronic modules



Data sheet Connecting bridge, 5 pole

Page 5/5

P/N
850349-03


EAN 4250184119296

2026/09/23

Version: F

Illustrations

Dimensional drawing



© 2026 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

