

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

## **Product image**















The side element of the CH20M housing offers you the option of an individual structure that can be flexibly adapted to your needs. A particularly practical advantage is that slots that are not required can simply be closed with covers. This not only ensures a clean and tidy appearance, but also protects against dust and other environmental influences. Take advantage of the versatility of the CH20M housing to design your projects efficiently and according to your ideas!

### **General ordering data**

Version	Side element, OMNIMATE Housing - series CH20M light blue, Side element, Width: 22.5 mm
Order No.	<u>1296430000</u>
Туре	CH20M22 S PPP BL 2013
GTIN (EAN)	4050118094619
Qty.	10 pc(s).
Information regarding whole assembly, see referenced articles	1104450000



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Technical data**

-			
Dim	ensions	and	weights

Depth	105.5 mm	Depth (inches)	4.154 inch
Height	22.8 mm	Height (inches)	0.898 inch
Width	22.5 mm	Width (inches)	0.886 inch
Net weight	11.8 g		

## **Temperatures**

Ambient temperature	-25 °C85 °C	Operating temperature range	-40120 ℃
Humidity	5 - 93% rel. humidity, Tu =		

### **Material data**

Comparative Tracking Index (CTI)	600 ≤ CTI	Insulating material	PA 66 GF 30
Insulating material group	I	Material	Plastic
Surface finish	untreated	UL 94 flammability rating	V-0

### **General data**

Colour	light blue	Colour chart (similar)	RAL 5012
Encapsulation option	No	Protection degree	IP20 in installed state

### **Component properties**

Cut out as preperation for function	al port	Number of connection levels		
integrated	No		3	
Number of poles, max.	12	Number of slots for female plugs	3	
Number of ventilation openings	0			

### Classifications

ETIM 7.0	EC001031	ETIM 8.0	EC001031
ETIM 9.0	EC001031	ETIM 10.0	EC001031
ECLASS 11.0	27-18-27-92	ECLASS 12.0	27-18-27-92
ECLASS 13.0	27-19-06-02	ECLASS 14.0	27-19-06-02
ECLASS 15.0	27-19-06-02		

### **Environmental Product Compliance**

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

### **Approvals**

ROHS	Conform

### Downloads

Engineering Data	CAD data – STEP
Catalogues	Catalogues in PDF-format



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Drawings**

# **Product image**




# **Product image**



## **Dimensioned drawing**









Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

# **Accessories**

### CH20M AD SHL 5.00/04 - Side element cover for CH20M22, CH20M45, CH20M67



# Future-proof solutions for industrial electronics for mounting in the control cabinet

Electronichousings are crucial for the integration of electronic assemblies in the control cabinet. They protect sensitive components and ensure reliable connections. Thanks to high-quality materials, they offer long-term solutions for industrial applications.

#### Your advantages:

Flexibility: Scalable solutions for different requirements Safety: Robust design to protect your electronics Efficiency: Simple installation and optimized connection technology

### Housing solutions for every application:

Our portfolio includes modular housings (e.g. CH20M), small housings and profile housings designed for control, signal conversion and safety applications. These housings offer customizable designs, easy mounting and high connection capacity.

#### **Customization:**

In addition to standard solutions, we offer customization in design, color and printing. The Weidmüller Configurator enables individual design.

### Our service:

We offer expert advice and technical support for your projects. In the download area you will find CAD data, data sheets and installation instructions for efficient integration.

### General ordering data

CH20M AD SHL 5.00/04 AG $\dots$	Version
<u>1472830000</u>	Hood, OMNIMATE Housing - series CH20M Agate grey, Side element
4050118279429	cover, Width: 22.5 mm
50 pc(s).	
CH20M AD SHL 5.00/04 LG	Version
1432890000	Hood, OMNIMATE Housing - series CH20M Light Grey, Side element
4050118237641	cover, Width: 22.5 mm
50 pc(s).	
CH20M AD SHL 5.00/04 GG	Version
CH20M AD SHL 5.00/04 GG 1413740000	Version Hood, OMNIMATE Housing - series CH20M Graphite grey, Side
<u>1413740000</u>	Hood, OMNIMATE Housing - series CH20M Graphite grey, Side
1413740000 4050118241648	Hood, OMNIMATE Housing - series CH20M Graphite grey, Side element cover, Width: 22.5 mm
1413740000 4050118241648 50 pc(s).	Hood, OMNIMATE Housing - series CH20M Graphite grey, Side element cover, Width: 22.5 mm
1413740000 4050118241648 50 pc(s). CH20M AD SHL 5.00/04 BK	Hood, OMNIMATE Housing - series CH20M Graphite grey, Side element cover, Width: 22.5 mm  Version
	1472830000 4050118279429 50 pc(s). CH20M AD SHL 5.00/04 LG 1432890000 4050118237641