

**MULTIMETER C 2608**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com



Digital current clamp devices and attachments and adapters are used for measuring AC and DC currents. The significant advantage of these devices is that you can make a measurement without breaking the flow of current.

**General ordering data**

Version	Testing tools, Digital clamp-on measuring device
Order No.	<a href="#">9427370000</a>
Type	MULTIMETER C 2608
GTIN (EAN)	4032248407019
Qty.	1 items

## MULTIMETER C 2608

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

www.weidmueller.com

## Technical data

## Approvals

Approvals



ROHS Conform

## Dimensions and weights

Depth	108 mm	Depth (inches)	4.252 inch
Height	53 mm	Height (inches)	2.0866 inch
Width	281 mm	Width (inches)	11.063 inch
Net weight	888.2 g		

## Environmental Product Compliance

RoHS Compliance Status Compliant  
 REACH SVHC Lead 7439-92-1

## Technical data

Description of article Digital clamp-on measuring device

## Measuring and testing devices

Measured capacitance value, max.	6.6 mF	Measured capacitance value, min.	6.6 nF
Selection of measuring range	Manual	Measuring range category	CAT III
Opening width of current-measuring clamp-on attachment	57 mm	AC voltage measuring range	0.66 - 750 V
DC voltage measuring range	0.66 - 1000 V	Measured current value, max.	2000 A
Working temperature, max.	50 °C	Working temperature, min.	0 °C
Frequency range, max.	66 Hz	Frequency range, min.	1 MHz
Frequency measurement	Yes	Display	digital
Type of current	AC, DC	Resistance measuring range, max.	66 MΩ
Resistance measuring range, min.	660 Ω	Resolution of DC voltage	± 0.5%
Resolution of AC voltage	± 0.5%	Battery type	9V block battery
Tested and approved according to	EN/IEC 61010-1		

## Important note

Product information Min/max function only applies for the DC range.

## Classifications

ETIM 8.0	EC000380	ETIM 9.0	EC000380
ETIM 10.0	EC000380	ECLASS 14.0	27-20-03-12
ECLASS 15.0	27-20-03-12		


**MULTIMETER C 2608**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

**Drawings**

[www.weidmueller.com](http://www.weidmueller.com)

**Example of use**



## MULTIMETER C 2608

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Accessories

### Accessories

Accessories for testing and measuring equipment



### General ordering data

Type	ZUB MULTIMETER	Version	
Order No.	<a href="#">9205270000</a>	Multimeter	
GTIN (EAN)	4032248723522		
Qty.	1 ST		
Type	BLOCKBATTERIE 9V	Version	
Order No.	<a href="#">9004810000</a>	Testing tools, Battery	
GTIN (EAN)	4008190050665		
Qty.	1 ST		