

FPL 8G1.5/Q8KG/5

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



Take advantage of our pre-assembled FieldPower® connectors with HQ connectors acc. to IEC 23570 (DESINA) for connecting decentralised motor controller devices quickly and conveniently.

General ordering data

| | |
|------------|--|
| Version | FieldPower®, Cable, Plastic housing, Number of wires: 8, Ölflex Classic 110 8G1.5 or similar, Cross-section: 1.5 mm ² , 5 m |
| Order No. | 8000005239 |
| Type | FPL 8G1.5/Q8KG/5 |
| GTIN (EAN) | 4032248997718 |
| Qty. | 1 items |

Technical data**Approvals**

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Dimensions and weights

| | |
|------------|-----|
| Net weight | 1 g |
|------------|-----|

Temperatures

| | |
|---------------------|-----------------------|
| Storage temperature | Operating temperature |
|---------------------|-----------------------|

Environmental Product Compliance

| | |
|------------------------|--------------------------|
| RoHS Compliance Status | Compliant with exemption |
|------------------------|--------------------------|

| | |
|--------------------------------------|----|
| RoHS Exemption (if applicable/known) | 6c |
|--------------------------------------|----|

| | |
|------------|---|
| REACH SVHC | Lead 7439-92-1, Potassium perfluorobutane sulfonate 29420-49-3, 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol 119-47-1 |
|------------|---|

| | |
|------|--------------------------------------|
| SCIP | edb4769d-47d5-4f66-921a-c1f4685d793c |
|------|--------------------------------------|

Classifications

| | | | |
|-------------|-------------|-------------|-------------|
| ETIM 8.0 | EC003250 | ETIM 9.0 | EC003250 |
| ETIM 10.0 | EC003250 | ECLASS 14.0 | 27-06-01-06 |
| ECLASS 15.0 | 27-06-01-06 | | |

Drawings

