

**MOPL K1 N FE****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany


[www.weidmueller.com](http://www.weidmueller.com)**Similar to illustration**

Abbildung ähnlich

The system accessories for the Klippon® K enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

- DIN Rails TS 35 and TS15
- Mounting plates
- Hinges
- Wall-mounted holder

**General ordering data**

|            |                                                                                                                                                                        |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Version    | Klippon K (aluminium empty enclosure), Mounting plate, Mounting plate, Height: 52 mm, Width: 61 mm, Depth: 3 mm, Material: Sheet steel, galvanized, galvanized, silver |
| Order No.  | <a href="#">1905280000</a>                                                                                                                                             |
| Type       | MOPL K1 N FE                                                                                                                                                           |
| GTIN (EAN) | 4032248524426                                                                                                                                                          |
| Qty.       | 1 pc(s).                                                                                                                                                               |

## MOPL K1 N FE

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|                             |       |                            |            |
|-----------------------------|-------|----------------------------|------------|
| Depth                       | 3 mm  | Depth (inches)             | 0.118 inch |
| Height                      | 52 mm | Height (inches)            | 2.047 inch |
| Width                       | 61 mm | Width (inches)             | 2.402 inch |
| Mounting dimension - height | 26 mm | Mounting dimension - width | 52 mm      |
| Net weight                  | 27 g  |                            |            |

## General information

|                |                         |                    |      |
|----------------|-------------------------|--------------------|------|
| Material       | Sheet steel, galvanized | Material thickness | 2 mm |
| Surface finish | galvanized              |                    |      |

## General information on accessories

|                             |                         |                            |       |
|-----------------------------|-------------------------|----------------------------|-------|
| Material                    | Sheet steel, galvanized | Material thickness         | 2 mm  |
| Mounting dimension - height | 26 mm                   | Mounting dimension - width | 52 mm |
| Surface finish              | galvanized              |                            |       |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000213    | ETIM 7.0    | EC000213    |
| ETIM 8.0    | EC000213    | ETIM 9.0    | EC000213    |
| ETIM 10.0   | EC000213    | ECLASS 9.0  | 27-40-06-39 |
| ECLASS 9.1  | 27-18-92-90 | ECLASS 10.0 | 27-40-06-39 |
| ECLASS 11.0 | 27-40-06-39 | ECLASS 12.0 | 27-40-06-39 |
| ECLASS 13.0 | 27-40-06-39 | ECLASS 14.0 | 27-40-06-39 |
| ECLASS 15.0 | 27-40-06-39 |             |             |

## Environmental Product Compliance

|                        |                             |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC             | No SVHC above 0.1 wt%       |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|            |                                          |
|------------|------------------------------------------|
| Catalogues | <a href="#">Catalogues in PDF-format</a> |
| Brochures  |                                          |

**MOPL K1 N FE****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****TS 15**

The system accessories for the Klippon® K enclosure series allows you to easily adapt the enclosures to meet the specific requirements of every application.

- DIN Rails TS 35 and TS 15
- Mounting plates
- Hinges
- Wall-mounted holder

**General ordering data**

| Type       | TS15X5 ST K1               | Version                                                              |
|------------|----------------------------|----------------------------------------------------------------------|
| Order No.  | <a href="#">8000003883</a> | Rail, TS 15, Width: 60 mm, without slot, Steel, galvanic zinc plated |
| GTIN (EAN) | 4050118653328              | and passivated                                                       |
| Qty.       | 20 pc(s).                  |                                                                      |