

## FPL 4G2.5C/Q8MW/10

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

www.weidmueller.com



Take advantage of our pre-assembled FieldPower® connectors with HQ connectors acc. to IEC 23570 (DESINA) for connecting decentralised motor controller devices quickly and conveniently.

### General ordering data

|            |                                    |
|------------|------------------------------------|
| Order No.  | 8000011750                         |
| Type       | <a href="#">FPL 4G2.5C/Q8MW/10</a> |
| GTIN (EAN) | 4050118238402                      |
| Qty.       | 1 items                            |

**FPL 4G2.5C/Q8MW/10**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Technical data****Approvals**

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

**Dimensions and weights**

|            |     |
|------------|-----|
| Net weight | 1 g |
|------------|-----|

**Temperatures**

|                     |                       |
|---------------------|-----------------------|
| Storage temperature | Operating temperature |
|---------------------|-----------------------|

**Environmental Product Compliance**

|                        |                          |
|------------------------|--------------------------|
| RoHS Compliance Status | Compliant with exemption |
|------------------------|--------------------------|

|                                      |    |
|--------------------------------------|----|
| RoHS Exemption (if applicable/known) | 6c |
|--------------------------------------|----|

|            |   |
|------------|---|
| REACH SVHC | Lead 7439-92-1, Potassium perfluorobutane sulfonate 29420-49-3, 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol 119-47-1 |
|------------|---|

|      |                                      |
|------|--------------------------------------|
| SCIP | edb4769d-47d5-4f66-921a-c1f4685d793c |
|------|--------------------------------------|

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 8.0    | EC003250    | ETIM 9.0    | EC003250    |
| ETIM 10.0   | EC003250    | ECLASS 14.0 | 27-06-01-06 |
| ECLASS 15.0 | 27-06-01-06 |             |             |

## FPL 4G2.5C/Q8MW/10

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany

[www.weidmueller.com](http://www.weidmueller.com)

# Drawings

### Pin assignments

|        | Pin | Conductor | Assignment |
|--------|-----|-----------|------------|
| 8 = nc | 1   | 1         | U          |
|        | 2   | -         | -          |
| 5 = nc | 3   | 3         | W          |
|        | 4   | -         | -          |
| ⊕ = PE | 5   | -         | -          |
|        | 6   | -         | -          |
| 3 = W  | 7   | 2         | V          |
|        | 8   | -         | -          |
| 2 = nc | PE  | gr./yell. | PE         |