Equipment installation box

# BS 2



## BS 2

**Equipment installation box**

Productnumber: 98700201
Dimensions: 86 x 146 x 60 mm

Equipment installation box, 2-way box for installing "British Standard" equipment; screw spacing 120.6 mm (4 3/4 inch.), protection class IP30, rated insulation voltage: 400V AC, Halogen free

**for Spelsberg HM-UNI (97929901), magnet and nail installation, membrane for perforation, sealing range M16 - M32, support spar compatible**

**Accessories supplied:**
**Earthing screw**

# Technical Data

## electrical characteristics

| | |
|---|---|
| Rated insulation voltage AC: | 400 V |
| Type of protection: | IP30 |
| Suitable for: | Concrete construction |
| UL Type Rating: | not specified |

## Colours

| | |
|---|---|
| Base unit colour: | green |
| Cover colour: | green |

## Dimensions

| | |
|---|---|
| Width: | 86 mm |
| Length: | 146 mm |
| Height: | 60 mm |
| Inner length: | 128 mm |
| Inner width: | 68 mm |
| Inner height: | 37 mm |
| Weight: | 0.113 kg |

## Material characteristics

| | |
|---|---|
| Halogen free: | yes |
| Flammability class according with UL94: | HB |
| Glow-wire flammability: | 650 °C (EN 60695-2-11) |

## mechanical properties

| | |
|---|---|
| Type of fastening: | magnet and nail installation |

## Ambient conditions

| | |
|---|---|
| max. relative humidity 25°C: | - % |
| max. relative humidity 40°C: | 50 % |
| Min. ambient temperature: | -25 °C |

## Ambient conditions

| | |
|---|---|
| Max. ambient temperature: | 40 °C |
| 24h ambient temperature: | 35 °C |

## Sales Information

| | |
|---|---|
| EAN: | 4013902603947 |
| ETIM Class: | EC002601 |
| Custom tariff number: | 39269097 |
| Minimum order quantity: | 1 |

## Material

| | |
|---|---|
| Base unit material: | Plastic |
| Cover material: | Polypropylene |

## Accessories

97924001 - NAS-AL - IBT Accessories

97924301 - NA-AL/gl - IBT Accessories

97929901 - HM-UNI - IBT Accessories

97443201 - BS 2-BSK - blank base

97412001 - BS MBR - Assembly bridge

97413001 - BS ES-30 - Installation screw

97413501 - BS ES-40 - Installation screw

97415001 - BS ES-50 - Installation screw

19599501 - LFR - Stepped drill

97410201 - BS 2 VD - sealing plate

97443101 - BS 1-BSK - blank base

97810001 - IBT LZA-OE - Hole punch

97811801 - IBT LZA-18 - Hole punch

97812301 - IBT LZA-23 - Hole punch

97915501 - WED - Expansion mandrel

98720001 - BSM 2 - IBT Accessories

98791101 - VCBS - IBT Accessories

## Cable gland

