

Data sheet

Cover plate 80 x 80 mm, pure white, module

Page 1/8

P/N

820395-0102-I

EAN 4250184110729


2026/08/20

Version: S

Illustrations



Dimensional drawing



See enlarged drawings at the end of document

Product specification

- extension of UPk wall outlets to flush-mounted wall outlets
- suitable for all modular wall outlets
- matt surface
- traffic white (RAL 9016), pure white (RAL 9010) or pearl white (RAL 1013)
- variants: traffic white, pure white, pearl white



Data sheet

Page 2/8

Cover plate 80 x 80 mm, pure white, module

P/N

820395-0102-I

EAN 4250184110729

2026/08/20

Version: S

Technical Data

General Data

Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	cover
Mounting style	Raceway-mounted to flush-mounted
Color	pure white - RAL 9010
Dimensions	
Dimension (L x W x H)	80.5 mm x 80.5 mm x 5.5 mm
Dimension (L x W x H)	3.169 in. x 3.169 in. x 0.217 in.

Materials and material properties

Material	ABS
Halogen free	yes
RoHS	compliant

Classifications

ETIM 7.0	EC002424
ETIM 8.0	EC002424
ETIM 9.0	EC002424
ETIM 10.0	EC002424

Packing details

Type of packaging	10 pc(s) / box
-------------------	----------------

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.



Cover plate 80 x 80 mm, pure white, module

P/N

820395-0102-I

EAN 4250184110729

2026/08/20

Version: S

Accessories from

P/N	Designation
1309110002-E	E-DAT modul 1 port AP Cat.6 _A , pure white
1309110027-E	E-DAT modul 1 port AP Cat.6 _A , traffic white
1309111002-E	E-DAT modul 1 port UP Cat.6 _A , pure white
1309111027-E	E-DAT modul 1 port UP Cat.6 _A , traffic white
1309111102-E	E-DAT modul 1 port flush mounted trunking installation Cat.6 _A , pure white
1309111127-E	E-DAT modul 1 port flush mounted trunking installation Cat.6 _A , traffic white
1309111200-E	E-DAT modul 1 port flush mounted without cover Cat.6 _A
1309121002-E	E-DAT modul 2 port UP Cat.6 _A , pure white
1309121027-E	E-DAT modul 2 port UP Cat.6 _A , traffic white
1309121102-E	E-DAT modul 2 port flush mounted trunking installation Cat.6 _A , pure white
1309121127-E	E-DAT modul 2 port flush mounted trunking installation Cat.6 _A , traffic white
1309121200-E	E-DAT modul 2 port flush mounted without cover Cat.6 _A
1309131002-E	E-DAT modul 3 port UP Cat.6 _A , pure white
1309131027-E	E-DAT modul 3 port UP Cat.6 _A , traffic white
1309131102-E	E-DAT modul 3 port flush mounted trunking installation Cat.6 _A , pure white
1309131127-E	E-DAT modul 3 port flush mounted trunking installation Cat.6 _A , traffic white
1309131200-E	E-DAT modul 3 port flush mounted without cover Cat.6 _A
1309140002-E	Modul wall outlet surface mounted 1 port unequipped pure white
1309141002-E	Modul wall outlet flush mounted 1 port unequipped pure white
1309141027-E	Modul wall outlet flush mounted 1 port unequipped traffic white
1309141102-E	Modul wall outlet flush mounted trunking installation 1 port unequipped pure white
1309141127-E	Modul wall outlet flush mounted trunking installation 1 port unequipped traffic white
1309141200-E	Modul wall outlet flush mounted without cover 3 port unequipped
1309150002-E	Modul wall outlet surface mounted 2 port unequipped pure white
1309151002-E	Modul wall outlet flush mounted 2 port unequipped pure white



Cover plate 80 x 80 mm, pure white, module

P/N

820395-0102-I

EAN 4250184110729

2026/08/20

Version: S

Accessories from

1309151027-E	Modul wall outlet flush mounted 2 port unequipped traffic white
1309151102-E	Modul wall outlet flush mounted trunking installation 2 port unequipped pure white
1309151127-E	Modul wall outlet flush mounted trunking installation 2 port unequipped traffic white
1309151200-E	Modul wall outlet flush mounted without cover 2 port unequipped
1309160002-E	Modul wall outlet surface mounted 3 port unequipped pure white
1309161002-E	Modul wall outlet flush mounted 3 port unequipped pure white
1309161027-E	Modul wall outlet flush mounted 3 port unequipped traffic white
1309161102-E	Modul wall outlet flush mounted trunking installation 3 port unequipped pure white
1309161127-E	Modul wall outlet flush mounted trunking installation 3 port unequipped traffic white
130B11D11002-E	C6 _A modul 1 port 180°M UP pure white
130B11D11027-E	C6 _A modul 1 port 180°M UP traffic white
130B11D11102-E	C6 _A modul 1 port 180°M flush mounted trunking installation pure white
130B11D11127-E	C6 _A modul 1 port 180°M flush mounted trunking installation traffic white
130B11D11200-E	C6 _A modul 1 port 180°M flush mounted without cover
130B11D21002-E	C6 _A modul 2 port 180°M UP pure white
130B11D21027-E	C6 _A modul 2 port 180°M UP traffic white
130B11D21102-E	C6 _A modul 2 port 180°M flush mounted trunking installation pure white
130B11D21127-E	C6 _A modul 2 port 180°M flush mounted trunking installation traffic white
130B11D21200-E	C6 _A modul 2 port 180°M flush mounted without cover
130B11D31002-E	C6 _A modul 3 port 180°M UP pure white
130B11D31102-E	C6 _A modul 3 port 180°M flush mounted trunking installation pure white
130B11D31200-E	C6 _A modul 3 port 180°M flush mounted without cover
130B12D11002-E	C6 _A modul 1 port 270°M UP pure white
130B12D11027-E	C6 _A modul 1 port 270°M UP traffic white
130B12D11102-E	C6 _A modul 1 port 270°M flush mounted trunking installation pure white
130B12D11127-E	C6 _A modul 1 port 270°M flush mounted trunking installation traffic white



Cover plate 80 x 80 mm, pure white, module

P/N

820395-0102-I

EAN 4250184110729

2026/08/20

Version: S

Accessories from

130B12D11200-E	C6 _A modul 1 port 270°M flush mounted without cover
130B12D21002-E	C6 _A modul 2 port 270°M UP pure white
130B12D21027-E	C6 _A modul 2 port 270°M UP traffic white
130B12D21102-E	C6 _A modul 2 port 270°M flush mounted trunking installation pure white
130B12D21127-E	C6 _A modul 2 port 270°M flush mounted trunking installation traffic white
130B12D21200-E	C6 _A modul 2 port 270°M flush mounted without cover
130B12D31102-E	C6 _A modul 3 port 270°M flush mounted trunking installation pure white
130B12D31200-E	C6 _A modul 3 port 270°M flush mounted without cover
130B20D11002KE	Keystone wall outlet flush mounted 1 port unequipped pure white
130B20D11027KE	Keystone wall outlet flush mounted 1 port unequipped traffic white
130B20D11102KE	Keystone wall outlet flush mounted trunking installation 1 port unequipped pure white
130B20D11127KE	Keystone wall outlet flush mounted trunking installation 1 port unequipped traffic white
130B20D11200KE	Keystone wall outlet flush mounted without cover 1 port unequipped
130B20D21002KE	Keystone wall outlet flush mounted 2 port unequipped pure white
130B20D21027KE	Keystone wall outlet flush mounted 2 port unequipped traffic white
130B20D21102KE	Keystone wall outlet flush mounted trunking installation 2 port unequipped pure white
130B20D21127KE	Keystone wall outlet flush mounted trunking installation 2 port unequipped traffic white
130B20D21200KE	Keystone wall outlet flush mounted without cover 2 port unequipped
130B20D31002KE	Keystone wall outlet flush mounted 3 port unequipped pure white
130B20D31102KE	Keystone wall outlet flush mounted trunking installation 3 port unequipped pure white
130B20D31127KE	Keystone wall outlet flush mounted trunking installation 3 port unequipped traffic white
130B20D31200KE	Keystone wall outlet flush mounted without cover 3 port unequipped
1501200002-E	OpDAT 2 EK unequipped duplex pure white
1501204102-E	OpDAT 2 EK ST-D MM (Ph-Br) pure white
1501207102-E	OpDAT 2 EK LC-Q UPC OS2



Data sheet

Page 6/8

Cover plate 80 x 80 mm, pure white, module

P/N

820395-0102-I

EAN 4250184110729

2026/08/20

Version: S

Accessories from

1501207202-E	OpDAT 4 Ek LC-Q MM (ceramic) pure white
1501207802-E	OpDAT 2 EK LC-Q OM3
1501207902-E	OpDAT 2 EK LC-Q OM4
1501207A02-E	OpDAT 2 EK LC-Q APC OS2
150120BA02-E	OpDAT 2 EK SC-D OM3
150120BB02-E	OpDAT 2 EK SC-D OM4
150120C202-E	OpDAT 2 EK SC-D MM
150120D102-E	OpDAT 2 EK ST-D
150120E202-E	OpDAT 2 EK SC-D UPC OS2
150120F202-E	OpDAT 2 EK SC-D APC OS2
150C029DK0010E	OpDAT VGAD UP0 splice 2xLC APC OS2, 10.0 m, cable ø 4.5 mm
150C029DK0020E	OpDAT VGAD UP0 splice 2xLC APC OS2, 20.0 m, cable ø 4.5 mm
150C029DK0030E	OpDAT VGAD UP0 splice 2xLC APC OS2, 30.0 m, cable ø 4.5 mm
150C029DK0040E	OpDAT VGAD UP0 splice 2xLC APC OS2, 40.0 m, cable ø 4.5 mm
150C029DK0050E	OpDAT VGAD UP0 splice 2xLC APC OS2, 50.0 m, cable ø 4.5 mm
150C029DK0060E	OpDAT VGAD UP0 splice 2xLC APC OS2, 60.0 m, cable ø 4.5 mm
150C029DK0080E	OpDAT VGAD UP0 splice 2xLC APC OS2, 80.0 m, cable ø 4.5 mm
150C049DK0010E	OpDAT VGAD UP0 splice 4xLC APC OS2, 10.0 m, cable ø 4.5 mm
150C049DK0015E	OpDAT VGAD UP0 splice 4xLC APC OS2, 15.0 m, cable ø 4.5 mm
150C049DK0020E	OpDAT VGAD UP0 splice 4xLC APC OS2, 20.0 m, cable ø 4.5 mm
150C049DK0025E	OpDAT VGAD UP0 splice 4xLC APC OS2, 25.0 m, cable ø 4.5 mm
150C049DK0030E	OpDAT VGAD UP0 splice 4xLC APC OS2, 30.0 m, cable ø 4.5 mm
150C049DK0035E	OpDAT VGAD UP0 splice 4xLC APC OS2, 35.0 m, cable ø 4.5 mm
150C049DK0040E	OpDAT VGAD UP0 splice 4xLC APC OS2, 40.0 m, cable ø 4.5 mm
150C049DK0045E	OpDAT VGAD UP0 splice 4xLC APC OS2, 45.0 m, cable ø 4.5 mm
150C049DK0050E	OpDAT VGAD UP0 splice 4xLC APC OS2, 50.0 m, cable ø 4.5 mm



Data sheet

Page 7/8

Cover plate 80 x 80 mm, pure white, module

P/N

820395-0102-I

EAN 4250184110729

2026/08/20

Version: S

Accessories from

150C049DK0055E	OpDAT VGAD UP0 splice 4xLC APC OS2, 55.0 m, cable ø 4.5 mm
150C049DK0060E	OpDAT VGAD UP0 splice 4xLC APC OS2, 60.0 m, cable ø 4.5 mm
150C049DK0065E	OpDAT VGAD UP0 splice 4xLC APC OS2, 65.0 m, cable ø 4.5 mm
150C049DK0070E	OpDAT VGAD UP0 splice 4xLC APC OS2, 70.0 m, cable ø 4.5 mm
150C049DK0080E	OpDAT VGAD UP0 splice 4xLC APC OS2, 80.0 m, cable ø 4.5 mm
150C049DK0090E	OpDAT VGAD UP0 splice 4xLC APC OS2, 90.0 m, cable ø 4.5 mm
150C049DK00A0E	OpDAT VGAD UP0 splice 4xLC APC OS2, 100.0 m, cable ø 4.5 mm
150F029DK0010E	OpDAT VGAD UP0 splice 2xLC APC OS2, 10.0 m, cable ø 2.3 mm
150F029DK0050E	OpDAT VGAD UP0 splice 2xLC APC OS2, 50.0 m, cable ø 2.3 mm
150F049DK0010E	OpDAT VGAD UP0 splice 4xLC APC OS2, 10.0 m, cable ø 2.3 mm
150F049DK0020E	OpDAT VGAD UP0 splice 4xLC APC OS2, 20.0 m, cable ø 2.3 mm
150F049DK0030E	OpDAT VGAD UP0 splice 4xLC APC OS2, 30.0 m, cable ø 2.3 mm
150F049DK0040E	OpDAT VGAD UP0 splice 4xLC APC OS2, 40.0 m, cable ø 2.3 mm



Data sheet

Page 8/8

Cover plate 80 x 80 mm, pure white, module

P/N

820395-0102-I

EAN 4250184110729

2026/08/20

Version: S

Illustrations

Dimensional drawing

