

Data sheet

Keystone wall outlet surface mounted 2 port unequipped pure white

Page 1/5

P/N

1309150002KE

EAN 4250184142805


2026/08/25

Version: AC


Illustrations



Dimensional drawing



Drill pattern



See enlarged drawings at the end of document

Product specification

- very compact surface-mounted termination unit for individual Keystone modules
- module plug direction 90° downwards
- strain relief with cable tie at the module
- label window for identification labels (labels included in the delivery)
- integrated dust protection shutter
- cover parts in color similar to pure white RAL 9010, glossy surface
- not suitable for 180° couplers (anti-bend sleeves for patch cables usually too long)
- variants: 1 port, 2 ports



Data sheet

Page 2/5

Keystone wall outlet surface mounted 2 port unequipped pure white

P/N

1309150002KE

EAN 4250184142805

2026/08/25

Version: AC

Technical Data

General Data

Fields of application	office areas
Mechanical measurement according to MICE	M1
Ingress measurement according to MICE	I1
Climatic measurement according to MICE	C1
Electromagnetic measurement according to MICE	E3
Design	wall outlet
Mounting style	AP
Color	white
Dimensions	
Dimension (L x W x H)	30 mm x 63.2 mm x 65 mm
Dimension (L x W x H)	1.181 in. x 2.488 in. x 2.559 in.
Labeling option	label window with identification label

Connections/interfaces

Number of ports interface 2	2
Number of ports interface 2 equipped	0
Number of ports with dust protection interface 2	2
Module plug-in direction	90° downwards

Mechanical data

Cut-out	Keystone
strain relief	cable tie

Materials and material properties

Material - Supporting frame	ABS
Material - Cover part(s)	ABS
Material - Module support	ABS
Material - Label window	PC (polycarbonate)
Material - Dust protection	ABS + PC
Halogen free	yes
RoHS	compliant



Data sheet

Page 3/5

Keystone wall outlet surface mounted 2 port unequipped pure white

P/N

1309150002KE

EAN 4250184142805

2026/08/25

Version: AC

Technical Data

Classifications

ETIM 7.0	EC001264
ETIM 8.0	EC001264
ETIM 9.0	EC001264
ETIM 10.0	EC001264

Packing details

Type of packaging	1 pc(s) / plastic bag
-------------------	-----------------------

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way.



Data sheet

Page 4/5

Keystone wall outlet surface mounted 2 port unequipped pure white

P/N

1309150002KE


EAN 4250184142805

2026/08/25


Version: AC

Illustrations

Dimensional drawing



Drill pattern



Data sheet

Page 5/5

Keystone wall outlet surface mounted 2 port unequipped pure white

P/N

1309150002KE

EAN 4250184142805

2026/08/25

Version: AC

Illustrations

Cut-out

