

**TS15X5 ST POK 0811****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Similar to illustration**

Similar to illustration

The Klippon® POK enclosure range is made from a high-quality glass fibre reinforced polyester and is ideal for applications and environments where corrosion resistance, impact resistance and a high IP protection class are a requirement.

Key features of the extensive product range:

- Available in 17 sizes
- Two standard finishes (colours): grey (similar to RAL 7001 for industrial use) and black (similar to RAL 9011 for harsh environments, Ex)
- Cover with stainless steel screws in cross-head / slotted design
- Moulded gasket made of silicone or chloroprene
- Fixing holes outside the sealed area to ensure high ingress protection of IP66
- Impact resistance up to 7 Joules
- Mounting directly in the enclosure or using an internal mounting plate
- Direct wall mounting possible using fixing holes or mounting feet
- Fastening thread to attach mounting rails and plates
- Up to E60 fire rating dependent on the configuration
- Weidmüller can manufacture and supply this enclosure to match customer specifications - fitted with all necessary terminals and cable glands.

**General ordering data**

|            |                                                                                     |
|------------|-------------------------------------------------------------------------------------|
| Version    | Rail, TS 15, Width: 98 mm, without slot, Steel, galvanic zinc plated and passivated |
| Order No.  | <a href="#">8000003890</a>                                                          |
| Type       | TS15X5 ST POK 0811                                                                  |
| GTIN (EAN) | 4050118652550                                                                       |
| Qty.       | 20 pc(s).                                                                           |

## TS15X5 ST POK 0811

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Depth      | 5.5 mm | Depth (inches)  | 0.217 inch |
| Height     | 15 mm  | Height (inches) | 0.591 inch |
| Width      | 98 mm  | Width (inches)  | 3.858 inch |
| Net weight | 20 g   |                 |            |

## General information

|                    |              |                  |                                     |
|--------------------|--------------|------------------|-------------------------------------|
| Integral fixing    | Screwed      | Material         | Steel                               |
| Material thickness | 1 mm         | Stamp dimensions | 4.5 x 20 mm                         |
| Standards          | DIN EN 60715 | Surface finish   | galvanic zinc plated and passivated |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001285    | ETIM 7.0    | EC001285    |
| ETIM 8.0    | EC001285    | ETIM 9.0    | EC001285    |
| ETIM 10.0   | EC001285    | ECLASS 9.0  | 27-40-06-02 |
| ECLASS 9.1  | 27-40-06-02 | ECLASS 10.0 | 27-40-06-02 |
| ECLASS 11.0 | 27-40-06-02 | ECLASS 12.0 | 27-40-06-02 |
| ECLASS 13.0 | 27-40-06-02 | ECLASS 14.0 | 27-40-06-02 |
| ECLASS 15.0 | 27-40-06-02 |             |             |

## Environmental Product Compliance

|                        |                             |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC             | No SVHC above 0.1 wt%       |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                  |                                          |
|------------------|------------------------------------------|
| Engineering Data | <a href="#">CAD data – STEP</a>          |
| Catalogues       | <a href="#">Catalogues in PDF-format</a> |

**TS15X5 ST POK 0811****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Accessories****Screws**

Depending on the terminal block or also accessories, we offer different types of screws as additional items or also spare parts.

**General ordering data**

|            |                            |                                                         |
|------------|----------------------------|---------------------------------------------------------|
| Type       | FKSC M4X6 D8/SW2           | Version                                                 |
| Order No.  | <a href="#">1567480000</a> | SAK Series, Allen hex screw, Screws, Number of poles: 1 |
| GTIN (EAN) | 4008190033491              |                                                         |
| Qty.       | 100 pc(s).                 |                                                         |