

PZ RK 10/120**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com



Crimping tools for tubular and compression cable lugs with swivel crimping star.

- Integrated crimping star for different cross-sections
- Hexagon crimping tools for compression cable lugs
- WM-From crimping tools for tubular cable lugs
- wide processing range up to 70 or 120 mm²

General ordering data

Version	10mm ² , 120mm ² , Hexagonal crimp
Order No.	1500450000
Type	PZ RK 10/120
GTIN (EAN)	4050118309065
Qty.	1 items

Technical data

Dimensions and weights

Depth	660 mm	Depth (inches)	25.9842 inch
Net weight	3760 g		

Environmental Product Compliance

RoHS Compliance Status	Not affected
REACH SVHC	Lead 7439-92-1
SCIP	2159813b-98fd-4068-b62a-bc89a046c012

Technical data

Version	Mechanical, without interchangeable inserts
---------	---

Crimp inserts

Crimping width	5 mm
----------------	------

Description of contact

Crimping range, max.	120 mm ²	Crimping range, min.	10 mm ²
----------------------	---------------------	----------------------	--------------------

tool data crimping

Wire end ferrules cross-section, max.	120 mm ²	Wire end ferrules cross-section, min.	10 mm ²
Crimping type/profile	Hexagonal crimp		

Classifications

ETIM 8.0	EC000168	ETIM 9.0	EC000168
ETIM 10.0	EC000168	ECLASS 14.0	21-04-38-11
ECLASS 15.0	21-04-38-11		

Accessories

10 mm²10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M4/-10	Version
Order No.	1496900000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306293	
Qty.	100 ST	
Type	KRN-M5/-10	Version
Order No.	1496910000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306378	
Qty.	100 ST	
Type	KRN-M6/-10	Version
Order No.	1496920000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306439	
Qty.	100 ST	
Type	KRN-M8/-10	Version
Order No.	1496930000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306552	
Qty.	100 ST	
Type	KRN-M10/-10	Version
Order No.	1496940000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306521	
Qty.	100 ST	
Type	KRN-M12/-10	Version
Order No.	1496950000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306453	
Qty.	100 ST	

16 mm²16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

General ordering data

Type	KRN-M5/-16	Version
Order No.	1496970000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306569	
Qty.	100 ST	
Type	KRN-M6/-16	Version
Order No.	1496980000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306583	
Qty.	100 ST	
Type	KRN-M8/-16	Version
Order No.	1496990000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306514	
Qty.	100 ST	
Type	KRN-M10/-16	Version
Order No.	1497000000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306460	
Qty.	100 ST	
Type	KRN-M12/-16	Version
Order No.	1497010000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306538	
Qty.	100 ST	

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M5/-25	Version
Order No.	1495830000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305562	
Qty.	100 ST	
Type	KRN-M6/-25	Version
Order No.	1496490000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305784	
Qty.	100 ST	
Type	KRN-M8/-25	Version
Order No.	1496500000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305975	
Qty.	100 ST	
Type	KRN-M10/-25	Version
Order No.	1496510000	cable lug, terminal end, 25 mm ² , 25 mm ² - 25 mm ²
GTIN (EAN)	4050118305814	
Qty.	100 ST	

Accessories

Type	KRN-M12/-25	Version	
Order No.	1496520000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118306163		
Qty.	100 ST		
Type	KRN-M14/-25	Version	
Order No.	1496530000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305883		
Qty.	100 ST		

35 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-35	Version	
Order No.	1496540000		cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118306156		
Qty.	100 ST		
Type	KRN-M8/-35	Version	
Order No.	1496550000		cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118305913		
Qty.	100 ST		
Type	KRN-M10/-35	Version	
Order No.	1496570000		cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118305920		
Qty.	100 ST		
Type	KRN-M12/-35	Version	
Order No.	1496580000		cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118306019		
Qty.	100 ST		

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

General ordering data

Type	KRN-M6/-50	Version
Order No.	1496590000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305746	
Qty.	100 ST	
Type	KRN-M8/-50	Version
Order No.	1496600000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306149	
Qty.	100 ST	
Type	KRN-M10/-50	Version
Order No.	1496610000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306064	
Qty.	100 ST	
Type	KRN-M12/-50	Version
Order No.	1496620000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305722	
Qty.	100 ST	
Type	KRN-M14/-50	Version
Order No.	1495750000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305197	
Qty.	100 ST	
Type	KRN-M16/-50	Version
Order No.	1496630000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306200	
Qty.	100 ST	
Type	KRN-M20/-50	Version
Order No.	1495840000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305364	
Qty.	100 ST	

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-70	Version
Order No.	1496640000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305951	
Qty.	25 ST	
Type	KRN-M8/-70	Version
Order No.	1496650000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305791	
Qty.	25 ST	

PZ RK 10/120

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KRN-M10/-70	Version
Order No.	1496670000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305845	
Qty.	25 ST	
Type	KRN-M12/-70	Version
Order No.	1495570000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118304992	
Qty.	25 ST	
Type	KRN-M14/-70	Version
Order No.	1495770000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305166	
Qty.	25 ST	
Type	KRN-M16/-70	Version
Order No.	1495580000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305340	
Qty.	25 ST	
Type	KRN-M20/-70	Version
Order No.	1495590000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305302	
Qty.	25 ST	

95 mm²95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-95	Version
Order No.	1495820000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305531	
Qty.	25 ST	
Type	KRN-M8/-95	Version
Order No.	1495600000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305241	
Qty.	25 ST	
Type	KRN-M10/-95	Version
Order No.	1495610000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305371	
Qty.	25 ST	
Type	KRN-M12/-95	Version
Order No.	1495620000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305265	
Qty.	25 ST	

PZ RK 10/120

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26


D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KRN-M14/-95	Version
Order No.	1495780000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305555	
Qty.	25 ST	
Type	KRN-M16/-95	Version
Order No.	1495630000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305326	
Qty.	25 ST	
Type	KRN-M20/-95	Version
Order No.	1495640000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305319	
Qty.	25 ST	

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M8/-120	Version
Order No.	1495790000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118305401	
Qty.	25 ST	
Type	KRN-M10/-120	Version
Order No.	1495650000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118305289	
Qty.	25 ST	
Type	KRN-M12/-120	Version
Order No.	1495670000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118305258	
Qty.	25 ST	
Type	KRN-M14/-120	Version
Order No.	1495800000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118305616	
Qty.	25 ST	
Type	KRN-M16/-120	Version
Order No.	1495680000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118305272	
Qty.	25 ST	
Type	KRN-M20/-120	Version
Order No.	1495690000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118305524	
Qty.	25 ST	

Accessories

35 mm²



35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-35 S	Version	
Order No.	1494790000		cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118304466		
Qty.	25 ST		

Type	KRN-M8/-35 S	Version	
Order No.	1494810000		cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118304374		
Qty.	25 ST		

50 mm²



50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-50 S	Version	
Order No.	1494820000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304114		
Qty.	25 ST		

Type	KRN-M8/-50 S	Version	
Order No.	1494830000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304404		
Qty.	25 ST		

Type	KRN-M10/-50 S	Version	
Order No.	1494840000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304619		
Qty.	25 ST		

Accessories


70 mm²70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-70 S	Version
Order No.	1494850000	cable lug, terminal end, 70 mm ² , 70 mm ² - 70 mm ²
GTIN (EAN)	4050118304152	
Qty.	25 ST	
Type	KRN-M8/-70 S	Version
Order No.	1494860000	cable lug, terminal end, 70 mm ² , 70 mm ² - 70 mm ²
GTIN (EAN)	4050118304527	
Qty.	25 ST	
Type	KRN-M10/-70 S	Version
Order No.	1494870000	cable lug, terminal end, 70 mm ² , 70 mm ² - 70 mm ²
GTIN (EAN)	4050118304503	
Qty.	25 ST	
Type	KRN-M12/-70 S	Version
Order No.	1494880000	cable lug, terminal end, 70 mm ² , 70 mm ² - 70 mm ²
GTIN (EAN)	4050118304435	
Qty.	25 ST	

95 mm²95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-95 S	Version
Order No.	1494430000	cable lug, terminal end, 95 mm ² , 95 mm ² - 95 mm ²
GTIN (EAN)	4050118303957	
Qty.	25 ST	
Type	KRN-M8/-95 S	Version
Order No.	1494890000	cable lug, terminal end, 95 mm ² , 95 mm ² - 95 mm ²
GTIN (EAN)	4050118304121	
Qty.	25 ST	

PZ RK 10/120

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KRN-M10/-95 S	Version
Order No.	1494900000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118304398	
Qty.	25 ST	
Type	KRN-M12/-95 S	Version
Order No.	1494910000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118304510	
Qty.	25 ST	

120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-120 S	Version
Order No.	1494410000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118304060	
Qty.	10 ST	
Type	KRN-M8/-120 S	Version
Order No.	1494420000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118304077	
Qty.	10 ST	
Type	KRN-M10/-120 S	Version
Order No.	1494920000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118304626	
Qty.	10 ST	
Type	KRN-M12/-120 S	Version
Order No.	1494930000	cable lug, terminal end,120 mm ² ,120 mm ² - 120 mm ²
GTIN (EAN)	4050118304602	
Qty.	10 ST	

10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

General ordering data

Type	KWN-M5/-10 90	Version
Order No.	1497020000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306712	
Qty.	100 ST	
Type	KWN-M6/-10 90	Version
Order No.	1497030000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306484	
Qty.	100 ST	
Type	KWN-M8/-10 90	Version
Order No.	1497040000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306576	
Qty.	100 ST	
Type	KWN-M10/-10 90	Version
Order No.	1497050000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306750	
Qty.	100 ST	
Type	KWN-M12/-10 90	Version
Order No.	1497070000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306606	
Qty.	100 ST	

16 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M5/-16 90	Version
Order No.	1497080000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306392	
Qty.	100 ST	
Type	KWN-M6/16 90	Version
Order No.	1497090000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306743	
Qty.	100 ST	
Type	KWN-M8/-16 90	Version
Order No.	1497100000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306804	
Qty.	100 ST	
Type	KWN-M10/-16 90	Version
Order No.	1497110000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306705	
Qty.	100 ST	

Accessories

Type	KWN-M12/-16 90	Version	
Order No.	1497120000		cable lug, terminal end,16 mm ² ,16 mm ² - 16 mm ²
GTIN (EAN)	4050118306736		
Qty.	100 ST		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-25 90	Version	
Order No.	1495850000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305456		
Qty.	100 ST		
Type	KWN-M8/-25 90	Version	
Order No.	1495870000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305470		
Qty.	100 ST		
Type	KWN-M10/-25 90	Version	
Order No.	1495880000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305449		
Qty.	100 ST		
Type	KWN-M12/-25 90	Version	
Order No.	1495890000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305647		
Qty.	100 ST		
Type	KWN-M14/-25 90	Version	
Order No.	1495900000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305517		
Qty.	100 ST		

35 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

www.weidmueller.com

General ordering data

Type	KWN-M6/-35 90	Version
Order No.	1495910000	cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118305418	
Qty.	100 ST	
Type	KWN-M8/-35 90	Version
Order No.	1495920000	cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118305548	
Qty.	100 ST	
Type	KWN-M10/-35 90	Version
Order No.	1495930000	cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118305173	
Qty.	100 ST	
Type	KWN-M12/-35 90	Version
Order No.	1495940000	cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118305623	
Qty.	100 ST	
Type	KWN-M14/-35 90	Version
Order No.	1494640000	cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118304350	
Qty.	100 ST	
Type	KWN-M16/-35 90	Version
Order No.	1494690000	cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118304268	
Qty.	100 ST	

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.


- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-50 90	Version
Order No.	1495950000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305388	
Qty.	100 ST	
Type	KWN-M8/-50 90	Version
Order No.	1495970000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305425	
Qty.	100 ST	
Type	KWN-M10/-50 90	Version
Order No.	1495980000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305494	
Qty.	100 ST	

Accessories

Type	KWN-M12/-50 90	Version
Order No.	1495990000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305654	
Qty.	100 ST	
Type	KWN-M14/50 90	Version
Order No.	1494650000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304251	
Qty.	100 ST	
Type	KWN-M16/-50 90	Version
Order No.	1496000000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305630	
Qty.	100 ST	
Type	KWN-M20/-50 90	Version
Order No.	1494710000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304442	
Qty.	100 ST	

70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-70 90	Version
Order No.	1496010000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305609	
Qty.	25 ST	
Type	KWN-M8/-70 90	Version
Order No.	1496020000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305180	
Qty.	25 ST	
Type	KWN-M10/-70 90	Version
Order No.	1496030000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305432	
Qty.	25 ST	
Type	KWN-M12/-70 90	Version
Order No.	1496040000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305463	
Qty.	25 ST	
Type	KWN-M14/-70 90	Version
Order No.	1494660000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118304183	
Qty.	25 ST	

PZ RK 10/120

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWN-M16/-70 90	Version
Order No.	1496050000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305708	
Qty.	25 ST	
Type	KWN-M20/-70 90	Version
Order No.	1496070000	cable lug, terminal end,70 mm ² ,70 mm ² - 70 mm ²
GTIN (EAN)	4050118305661	
Qty.	25 ST	

95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-95 90	Version
Order No.	1496080000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305685	
Qty.	25 ST	
Type	KWN-M10/-95 90	Version
Order No.	1496090000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305692	
Qty.	25 ST	
Type	KWN-M12/-95 90	Version
Order No.	1496100000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305487	
Qty.	25 ST	
Type	KWN-M14/-95 90	Version
Order No.	1494670000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118304411	
Qty.	25 ST	
Type	KWN-M16/-95 90	Version
Order No.	1496110000	cable lug, terminal end,95 mm ² ,95 mm ² - 95 mm ²
GTIN (EAN)	4050118305678	
Qty.	25 ST	

Accessories

120 mm²120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-120 90	Version	
Order No.	1494680000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304343		
Qty.	25 ST		
Type	KWN-M10/-120 90	Version	
Order No.	1494450000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304084		
Qty.	25 ST		
Type	KWN-M12/-120 90	Version	
Order No.	1494470000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304091		
Qty.	25 ST		
Type	KWN-M16/-120 90	Version	
Order No.	1494480000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118304312		
Qty.	25 ST		

10 mm²10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M5/-10 45	Version	
Order No.	1496810000		cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306309		
Qty.	100 ST		
Type	KWN-M6/-10 45	Version	
Order No.	1496820000		cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306286		
Qty.	100 ST		

PZ RK 10/120

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

Type	KWN-M8/-10 45	Version
Order No.	1496830000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306330	
Qty.	100 ST	
Type	KWN-M10/-10 45	Version
Order No.	1496840000	cable lug, terminal end, 10 mm ² , 10 mm ² - 10 mm ²
GTIN (EAN)	4050118306361	
Qty.	100 ST	

16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M5/-16 45	Version
Order No.	1496850000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306408	
Qty.	100 ST	
Type	KWN-M6/-16 45	Version
Order No.	1496870000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306446	
Qty.	100 ST	
Type	KWN-M8/-16 45	Version
Order No.	1496880000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306422	
Qty.	100 ST	
Type	KWN-M10/-16 45	Version
Order No.	1496890000	cable lug, terminal end, 16 mm ² , 16 mm ² - 16 mm ²
GTIN (EAN)	4050118306194	
Qty.	100 ST	

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

General ordering data

Type	KWN-M6/-25 45	Version	
Order No.	1496180000		cable lug, terminal end,25 mm²,25 mm² - 25 mm²
GTIN (EAN)	4050118305876		
Qty.	100 ST		

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-25 45	Version	
Order No.	1496190000		cable lug, terminal end,25 mm²,25 mm² - 25 mm²
GTIN (EAN)	4050118306231		
Qty.	100 ST		
Type	KWN-M10/-25 45	Version	
Order No.	1496200000		cable lug, terminal end,25 mm²,25 mm² - 25 mm²
GTIN (EAN)	4050118305593		
Qty.	100 ST		
Type	KWN-M12/-25 45	Version	
Order No.	1496210000		cable lug, terminal end,25 mm²,25 mm² - 25 mm²
GTIN (EAN)	4050118305715		
Qty.	100 ST		

35 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-35 45	Version	
Order No.	1496220000		cable lug, terminal end,35 mm²,35 mm² - 35 mm²
GTIN (EAN)	4050118305852		
Qty.	50 ST		
Type	KWN-M8/-35 45	Version	
Order No.	1496230000		cable lug, terminal end,35 mm²,35 mm² - 35 mm²
GTIN (EAN)	4050118305968		
Qty.	50 ST		

PZ RK 10/120


Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KWN-M10/-35 45	Version	
Order No.	1496240000		cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118306217		
Qty.	50 ST		
Type	KWN-M12/-35 45	Version	
Order No.	1496250000		cable lug, terminal end,35 mm ² ,35 mm ² - 35 mm ²
GTIN (EAN)	4050118306002		
Qty.	50 ST		

50 mm²




The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M6/-50 45	Version	
Order No.	1496270000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305937		
Qty.	50 ST		
Type	KWN-M8/-50 45	Version	
Order No.	1496280000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306101		
Qty.	50 ST		
Type	KWN-M10/-50 45	Version	
Order No.	1496290000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305760		
Qty.	50 ST		
Type	KWN-M12/-50 45	Version	
Order No.	1496300000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306040		
Qty.	50 ST		

70 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

Accessories

www.weidmueller.com

General ordering data

Type	KWN-M8/-70 45	Version	
Order No.	1496310000		cable lug, terminal end,70 mm²,70 mm² - 70 mm²
GTIN (EAN)	4050118305944		
Qty.	25 ST		
Type	KWN-M10/-70 45	Version	
Order No.	1496320000		cable lug, terminal end,70 mm²,70 mm² - 70 mm²
GTIN (EAN)	4050118306255		
Qty.	25 ST		
Type	KWN-M12/-70 45	Version	
Order No.	1496330000		cable lug, terminal end,70 mm²,70 mm² - 70 mm²
GTIN (EAN)	4050118305586		
Qty.	25 ST		

95 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-95 45	Version	
Order No.	1496340000		cable lug, terminal end,95 mm²,95 mm² - 95 mm²
GTIN (EAN)	4050118305821		
Qty.	25 ST		
Type	KWN-M10/-95 45	Version	
Order No.	1496350000		cable lug, terminal end,95 mm²,95 mm² - 95 mm²
GTIN (EAN)	4050118306125		
Qty.	25 ST		
Type	KWN-M12/-95 45	Version	
Order No.	1496370000		cable lug, terminal end,95 mm²,95 mm² - 95 mm²
GTIN (EAN)	4050118305890		
Qty.	25 ST		
Type	KWN-M16/-95 45	Version	
Order No.	1496380000		cable lug, terminal end,95 mm²,95 mm² - 95 mm²
GTIN (EAN)	4050118305838		
Qty.	25 ST		

Accessories

120 mm²



120 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M8/-120 45	Version	
Order No.	1496390000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118305999		
Qty.	25 ST		
Type	KWN-M10/-120 45	Version	
Order No.	1496400000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118306224		
Qty.	25 ST		
Type	KWN-M12/-120 45	Version	
Order No.	1496410000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118306057		
Qty.	25 ST		
Type	KWN-M16/-120 45	Version	
Order No.	1496420000		cable lug, terminal end, 120 mm ² , 120 mm ² - 120 mm ²
GTIN (EAN)	4050118306118		
Qty.	25 ST		

10 mm²



10 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-10	Version	
Order No.	1497130000		cable lug, terminal end, 10 mm ² , 10 mm ² , None
GTIN (EAN)	4050118306491		
Qty.	50 ST		

Accessories


16 mm²16 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-16	Version	
Order No.	1497140000	Version	cable lug, terminal end, 16 mm ² , 16 mm ² , None
GTIN (EAN)	4050118306620		
Qty.	50 ST		

25 mm²25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-25	Version	
Order No.	1494730000	Version	cable lug, terminal end, 25 mm ² , 25 mm ² , None
GTIN (EAN)	4050118304275		
Qty.	50 ST		

35 mm²35 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-35	Version	
Order No.	1494740000	Version	cable lug, terminal end, 35 mm ² , 35 mm ² , None
GTIN (EAN)	4050118304428		
Qty.	50 ST		

Accessories

50 mm²50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-50	Version	
Order No.	1494750000	Version	cable lug, terminal end,50 mm ² ,50 mm ² ,None
GTIN (EAN)	4050118304381		
Qty.	50 ST		

70 mm²70 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-70	Version	
Order No.	1494760000	Version	cable lug, terminal end,70 mm ² ,70 mm ² ,None
GTIN (EAN)	4050118304299		
Qty.	50 ST		

95 mm²95 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-95	Version	
Order No.	1494770000	Version	cable lug, terminal end,95 mm ² ,95 mm ² ,None
GTIN (EAN)	4050118304220		
Qty.	50 ST		

Accessories**120 mm²****120 mm²**

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-120	Version	
Order No.	1494780000		
GTIN (EAN)	4050118304282		
Qty.	25 ST		
			cable lug, terminal end, 120 mm ² , 120 mm ² , None